

ACHD Complaints System

Service Request # AIR-20181203-181682

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 12/03/2018

Time Incident Occurred: 01:30 PM

Complaint Property : **4802 GIBSONIA RD**

Apt/Unit#: **# 2**

City: **ALLASON PARK, PA 15101**

Municipality: **WEST DEER TOWNSHIP**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/03/2018

Compl.Time: 01:43 PM

Nature of Complaint : LANDSCAPING COMPAMY IS BURNING ALL SORTS OF MATERIAL SUCH AS RUBBER AND PAINTED WOOD. THE BOROUGH HAS SPOKED TO HIM PREVIOUSLY. SUNDAY 12-02-2018 THE SMOKE FROM HIS FIRE WAS SO BAD THE ASSISTED CARE HOME WAS THOUGH TO BE ON FIRE BECAUSE IT WAS COVERING THE BUILDING ITSELF.

Complainant:

Email:

Phone(s):

Complaint Against: JOHN FRIES LANDSCAPE AND MAINTENANCE

4802 GIBSONIA RD

ALLISON PARK, PA 15101

Phone(s): 412-4873369

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181204-181683

AIR QUALITY - ODOR

Date Incident Occurred: 12/04/2018

Time Incident Occurred: 08:32 AM

Complaint Property : **11 BOGGS RD**

Apt/Unit#:

City: **IMPERIAL, PA 15126**

Municipality: **FINDLAY TOWNSHIP**

Census Tract: **54520**

Ward:

Nature of Complaint : COMPANY: WILSON ELEMENTARY SCHOOL
ADDRESS: 100 BRUNO LANE
CITY: IMPERIAL
FIRST NOTICED: NA
CONTACTED SOMEONE
AUTHORITY: [REDACTED]
CURRENT DATE/TIME: 12/04/2018 07:50 AM
MESSAGE: COMING FROM LAND FILL NEAR SCHOOL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/04/2018

Compl.Time: 07:50 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s): [REDACTED] MAIN

Complaint Against: ***BFI IMPERIAL LANDFILL**

11 BOGGS RD
IMPERIAL, PA 15126

Phone(s): 724-6950900 OPERATIONS

Additional Comments: ANSWERING SERVICE - 12-04-2018 @ 08:30 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
PDW-20100607-96220	06/07/2010	
PDW-20101203-116140	12/03/2010	
PDW-20100908-108680	09/08/2010	
PDW-20100929-111280	09/29/2010	
PDW-20110414-129781	04/14/2011	

ACHD Complaints System

PDW-20120314-151053	03/14/2012	
AIR-20180221-179495	02/20/2018	
AIR-20180409-180019	04/07/2018	
AIR-20180312-179841	03/09/2018	
AIR-20180312-179842	03/11/2018	
AIR-20180315-179898	03/14/2018	
AIR-20180501-180225	05/01/2018	
AIR-20180406-179999	04/05/2018	
AIR-20180604-180467	06/04/2018	
AIR-20181024-181530	10/24/2018	
AIR-20181105-181581	11/03/2018	
AIR-20181130-181675	11/30/2018	
AIR-20181220-181787	12/19/2018	
AIR-20190110-181917	01/09/2019	
AIR-20180911-181268	09/11/2018	
AIR-20190110-181930	01/09/2019	

ACHD Complaints System

Service Request # AIR-20181206-181691

AIR QUALITY - ODOR

Date Incident Occurred: 12/06/2018

Time Incident Occurred: 09:10 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : HORRIBLE ODOR OF BURNING GARBAGE. CAN SEE LARGE FIRE BEING STOKED IN BUILDING.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20170825-176227	08/22/2017	
AIR-20170601-175171	06/01/2017	
AIR-20171226-178618	12/21/2017	
AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	

ACHD Complaints System

AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	

ACHD Complaints System

AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	

ACHD Complaints System

AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	

ACHD Complaints System

Service Request # AIR-20181207-181695

AIR QUALITY - ODOR

Date Incident Occurred: 12/06/2018

Time Incident Occurred: 09:40 PM

Complaint Property : **320 PITTSBURGH ST**

Apt/Unit#:

City: **CORAOPOLIS, PA 15108**

Municipality: **ROBINSON TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : FIRE DEPARTMENT CALLED OUT BECAUSE OF ODOR

Complainant:

Email:

Phone(s):

Complaint Against: ***QUALAWASH**
320 PITTSBURGH ST
CORAOPOLIS, PA 15108

Phone(s): 412-2622300 FACILITY

Additional Comments: CALL INTO ACHD - KAREN M SAGEL / JAMES BOLLINGER

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20130716-155031	07/16/2013
PDW-20140605-157976	06/05/2014
AIR-20171218-178399	12/18/2017

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/07/2018

Compl.Time: 11:42 AM

ACHD Complaints System

Service Request # AIR-20181210-181699

AIR QUALITY - ODOR

Date Incident Occurred: 12/10/2018

Time Incident Occurred: 09:58 AM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : **SMELL ALL WEEK END AND TODAY**

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP**

FERRY ST

CREIGHTON, PA 15030

Phone(s): 724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180307-179773	03/06/2018	
AIR-20180307-179775	03/06/2018	
AIR-20180223-179588	02/23/2018	
AIR-20180326-179937	03/25/2015	
AIR-20180423-180142	04/23/2018	
AIR-20180320-179927	03/20/2018	
AIR-20180927-181376	09/27/2018	
AIR-20180920-181338	09/20/2018	
AIR-20180831-181178	08/31/2018	

ACHD Complaints System

AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20180904-181213	09/04/2018	
AIR-20181011-181458	10/11/2018	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	

ACHD Complaints System

AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181210-181700

AIR QUALITY - ODOR

Date Incident Occurred: 12/10/2018

Time Incident Occurred: 11:05 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : **LARGE EXPLOSIONS**

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/10/2018

Compl.Time: 11:06 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20170825-176227	08/22/2017	
AIR-20170601-175171	06/01/2017	
AIR-20171226-178618	12/21/2017	
AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	

ACHD Complaints System

AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	

ACHD Complaints System

AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	

ACHD Complaints System

AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	

ACHD Complaints System

Service Request # AIR-20181210-181702

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 12/10/2018

Time Incident Occurred: 08:30 AM

Complaint Property : **218 ATLANTIC AV**

Apt/Unit#:

City: **MCKEESPORT, PA 15132**

Municipality: **PITTSBURGH CITY**

Census Tract: **55522**

Ward: **55**

Nature of Complaint : CALLER IS REPORTING A GARAGE HAS A FURNACE OR INCINERATOR THAT IS BURNING PAINT AND OTHER HAZARDOUS MATERIALS WHICH IS MAKING THE CALLER SICK. THE CHIMNEY WAS DAMAGED OVER A WEEK AGO CREATING A LOUD NOISE AND CALLER REPORTS THAT LOCAL FIRE AND POLICE HAVE NOT RESPONDED.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against: PALKO LANDSCAPING

218 ATLANTIC AV

MCKEESPORT, PA 15132

Phone(s):

Additional Comments: EMAIL INTO ACHD - DEP - NRC#1232501

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20190111-181942	01/11/2019

ACHD Complaints System

Service Request # AIR-20181210-181703

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 12/10/2018

Time Incident Occurred: 01:03 PM

Complaint Property : **1004 FOGGY HOLLOW RD**

Apt/Unit#:

City: GIBSONIA, PA 15044

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint : STILL BURNING.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/10/2018

Compl.Time: 01:10 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **ADMIRAL TREE SERVICE**

1004 FOGGY HOLLOW RD

GIBSONIA, PA 15044

Phone(s): 724-9350999 WORK

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180111-178855	01/11/2018	
AIR-20180116-178884	01/12/2018	
AIR-20180201-178955	02/01/2018	
AIR-20180212-179185	02/10/2018	
AIR-20180212-179186	02/10/2018	
AIR-20180212-179187	02/10/2018	
AIR-20180212-179188	02/10/2018	
AIR-20180126-178937	01/26/2018	
AIR-20180306-179742	03/05/2018	
AIR-20180323-179935	03/23/2018	
AIR-20180315-179895	03/15/2018	
AIR-20180313-179865	03/13/2018	

ACHD Complaints System

AIR-20181105-181582	11/03/2018	
AIR-20181108-181604	11/08/2018	
AIR-20181113-181623	11/13/2018	
AIR-20181107-181600	11/07/2018	

ACHD Complaints System

Service Request # AIR-20181210-181704

AIR QUALITY - ODOR

Date Incident Occurred: 12/10/2018

Time Incident Occurred: 11:06 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : VERY LARGE EXPLOSION AT THE SHREDDER AT METALICO. A LOT OF CREAM-COLORED SMOKE AND SMOG. ODOR, (ALL MORNING), OF BURNING PLASTIC. EARLIER IN THE DAY, THEY WERE AGAIN OPEN BURNING IN THE BUILDING DIRECTLY BEHIND THE SHREDDER.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20170825-176227	08/22/2017	
AIR-20170601-175171	06/01/2017	
AIR-20171226-178618	12/21/2017	
AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	

ACHD Complaints System

AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	

ACHD Complaints System

AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	

ACHD Complaints System

AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	

ACHD Complaints System

Service Request # AIR-20181210-181705

AIR QUALITY - ODOR

Date Incident Occurred: 12/10/2018

Time Incident Occurred: 11:15 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-12/10/18

-11:06AM

-METALICO RECYCLING, NEVILLE ISLAND

-VERY LARGE EXPLOSION AT THE SHREDDER AT METALICO. A LOT OF CREAM-COLORED SMOKE AND SMOG. ODOR, (ALL MORNING), OF BURNING PLASTIC. EARLIER IN THE DAY, THEY WERE AGAIN OPEN BURNING IN THE BUILDING DIRECTLY BEHIND THE SHREDDER.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20170825-176227	08/22/2017	
AIR-20170601-175171	06/01/2017	
AIR-20171226-178618	12/21/2017	
AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	

ACHD Complaints System

AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	

ACHD Complaints System

AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	

ACHD Complaints System

AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	

ACHD Complaints System

Service Request # AIR-20181210-181706

AIR QUALITY - ODOR

Date Incident Occurred: 12/10/2018

Time Incident Occurred: 11:35 AM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : -METALICO RECYCLING, NEVILLE ISLAND
-3RD. EXPLOSION AT THE SHREDDER AT METALICO. A LOT OF CREAM-COLORED SMOKE AND SMOG.

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/10/2018

Compl.Time: 11:37 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**
3100 GRAND AV
PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20170825-176227	08/22/2017	
AIR-20170601-175171	06/01/2017	
AIR-20171226-178618	12/21/2017	
AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	

ACHD Complaints System

AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	

ACHD Complaints System

AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	

ACHD Complaints System

AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	

ACHD Complaints System

Service Request # AIR-20181210-181707

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 12/10/2018

Time Incident Occurred: 02:30 PM

Complaint Property : **703 FREEPORT RD**

Apt/Unit#:

City: ASPINWALL, PA 15215

Municipality: ASPINWALL BOROUGH

Census Tract: 99999

Ward:

Nature of Complaint : LOT SELLING CHRISTMAS TREES HAVE AN OPEN BURN BARREL

Complainant: *Answering Service,Anonymous

, PA

Email:

Phone(s):

Complaint Against: **PATTY'S FARM MARKET**

703 FREEPORT RD

ASPINWALL, PA 15215

Phone(s): 412-7811212

Additional Comments: CALL INTO ACHD - BERNIE KOVAC

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/10/2018

Compl.Time: 02:43 PM

ACHD Complaints System

Service Request # AIR-20181210-181708

AIR QUALITY - ODOR

Date Incident Occurred: 12/10/2018

Time Incident Occurred: 02:03 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : **EXPLOSION**

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/10/2018

Compl.Time: 02:40 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: CALL INTO ACHD - BERNIE KOVAC

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20170825-176227	08/22/2017	
AIR-20170601-175171	06/01/2017	
AIR-20171226-178618	12/21/2017	
AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	

ACHD Complaints System

AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	

ACHD Complaints System

AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	

ACHD Complaints System

AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	

ACHD Complaints System

Service Request # AIR-20181210-181709

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 12/08/2018

Time Incident Occurred: 02:30 PM

Complaint Property : **MEADOWCREST DR**

Apt/Unit#:

City: **PITTSBURGH, PA 15241**

Municipality: **UPPER ST CLAIR TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : STRONG UNPLEASANT ODOR TODAY (AND YESTERDAY) FROM NEIGHBOR'S WOOD FIRED BOILER BURNING. IT IS BAD ENOUGH THAT IT CAN BE SMELLED FROM INSIDE MY HOUSE WITH THE DOORS/WINDOWS CLOSED. THE OWNER'S ADDRESS IS:

1763 MEADOWCREST DR,PITTSBURGH, PA 15241

Complainant:

Email:

Phone(s):

Complaint Against: **MEADOWCREST DRIVE 15241**

MEADOWCREST DR
PITTSBURGH, PA 15241

Phone(s):

Additional Comments: WEBSITE 12-08-2018 @ 09:31 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171226-178617	12/23/2017
AIR-20171218-178404	12/16/2017
AIR-20180214-179284	02/13/2018
AIR-20181127-181662	11/26/2018

ACHD Complaints System

Service Request # AIR-20181211-181710

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 12/11/2018

Time Incident Occurred: 09:30 AM

Complaint Property : **3311 PENN AV**

Apt/Unit#:

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Nature of Complaint : **BURNING PLASTICS AND WOOD IN OPEN BURN BARREL – SMELLS BAD LIKE PLASTIC BURNING**

Complainant: ***Phone Call,Anonymous**

, PA

Email:

Phone(s):

Complaint Against: **AAA SCRAP IRON & METAL**

3311 PENN AV

LAWRENCEVILLE, PA 15201

Phone(s): 412-6213405

Additional Comments: CALL INTO ACHD - BERNIE KOVAC

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/11/2018

Compl.Time: 09:30 AM

ACHD Complaints System

Service Request # AIR-20181211-181711

AIR QUALITY - ODOR

Date Incident Occurred: 12/11/2018

Time Incident Occurred: 12:58 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : HORRIBLE SMELL LIKE BURNING PLASTIC SHE CAN SEE THE FIRE IN THE SHED

Complainant:

Email:

Phone(s):

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20170825-176227	08/22/2017	
AIR-20170601-175171	06/01/2017	
AIR-20171226-178618	12/21/2017	
AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	

ACHD Complaints System

AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	

ACHD Complaints System

AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	

ACHD Complaints System

AIR-20181220-181797	12/20/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	

ACHD Complaints System

Service Request # AIR-20181212-181719

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 12/12/2018

Time Incident Occurred: 12:55 PM

Complaint Property : **201 FIELD BROOK CT**

Apt/Unit#:

City: **GIBSONIA, PA 15044**

Municipality: **RICHLAND TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : GRACE WITH THE RICHLAND TOWNSHIP MUNICIPALITY CALLED TO PASS ON A COMPLAINT FROM A RESIDENT LIVING NEAR A CONSTRUCTION SITE AT FIELD BROOK FARMS, GIBSONIA. THE RESIDENT SAID THAT WORKERS WERE BURNING MATERIALS OTHER THAN WOOD IN BARRELS RESULTING IN A CHEMICAL SMELL. THE ORIGINAL COMPLAINANT WANTED TO REMAIN ANONYMOUS.

THE CONSTRUCTION IS BEING DONE BY PITTSBURGH BUILDERS (814-590-2772).

Complainant: **Richland,Township**

4019 DICKEY RD

GIBSONIA, PA 15044

Email: grace

Phone(s): 724-4435921

Complaint Against: **FIELD BROOK FARMS**

201 FIELD BROOK CT

GIBSONIA, PA 15044

Phone(s):

Additional Comments: CALL INTO THE ACHD - CARL DETTLINGER

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181212-181720

AIR QUALITY - ODOR

Date Incident Occurred: 12/12/2018

Time Incident Occurred: 02:24 PM

Complaint Property :

Apt/Unit#:

City: CRAIGHTON, PA 15030

Municipality: WEST DEER TOWNSHIP

Census Tract: 99999

Ward:

Nature of Complaint : THE UNDERGROUND SMELLS

Complainant:

Email:

Phone(s):

Complaint Against: PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST

CREIGHTON, PA 15030

Phone(s): 724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments: CALL INTO TTHE ACHD = KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/12/2018

Compl.Time: 02:24 PM

ACHD Complaints System

Service Request # AIR-20181212-181721

AIR QUALITY - ODOR

Date Incident Occurred: 12/12/2018

Time Incident Occurred: 02:52 PM

Complaint Property : **25 HECKEL RD**

Apt/Unit#:

City: **MC KEES ROCKS, PA 15136**

Municipality: **KENNEDY TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : **HEAVY ODOR OF SEWAGE FROM THE SEWAGE PIPES AGAIN.**

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***OHIO VALLEY GENERAL HOSPITAL**

25 HECKEL RD

MC KEES ROCKS, PA 15136

Phone(s): 412-7776155 WORK

Additional Comments: CALL INTO ACHD - DAVID KELLEY

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180813-180998	08/13/2018	
AIR-20181009-181447	10/09/2018	
AIR-20180816-181028	08/15/2018	

ACHD Complaints System

Service Request # AIR-20181212-181722

AIR POLLUTION - GENERAL

Date Incident Occurred: 12/12/2018

Time Incident Occurred: 03:14 PM

Complaint Property : **2904 CASTLEGATE AV**

Apt/Unit#:

City: **BROOKLINE, PA 15226**

Municipality: **MOUNT LEBANON**

Census Tract: **99999**

Ward:

Nature of Complaint : AS I ARRIVED HOME FROM WORK, I NOTED A LARGE CLOUD OF DISCOLORED AIR PRIOR TO REACHING MY DRIVEWAY. ONCE PARKED, I SAW THAT A STREET SWEEPER WAS RUNNING UP AND DOWN CASTLEGATE AVE WITHOUT THE USE OF WATER AND RELEASING HUGE CLOUDS OF DUST INTO THE AIR AND MY YARD/DRIVEWAY/HOME AT 2862 CASTLEGATE AVE., PITTSBURGH PA 15226. THE DUST SMELL IS IN MY HOUSE. THE DUST WAS ENOUGH TO CAUSE ME TO CHOKE AFTER EXITING MY CAR AND CONTINUING CHOKING, CLEARING MY THROAT, FEELING DISCOMFORT, EVEN 20 MINUTES AFTER THE STREET SWEEPER WAS GONE. I HAVE SAVED THE CLIPS FROM MY SECURITY CAMERAS THAT SHOW THE AMOUNT OF DUST RELEASED INTO THE AIR IF YOU WOULD LIKE TO VIEW THEM.

Complainant:

Email:

Phone(s):

Complaint Against: DEPAUL INSTITUTE/CASTLEGATE

2904 CASTLEGATE AV

BROOKLINE, PA 15226

Phone(s):

Additional Comments: 2904 CASTLEGATE AVE. MT. LEBANON PA 15226 2:11 PM ADJACENT TO DEVELOPMENT PROJECT (OLD DEPAUL PROPERTY)

Supervisor:

Created By: EMAIL INTO ACHD - KAREN M SAGEL

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/12/2018

Compl.Time: 03:16PM

ACHD Complaints System

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181213-181723

AIR QUALITY - ODOR

Date Incident Occurred: 12/13/2018

Time Incident Occurred: 06:30 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : 12/13/2018 07:01 AM

MESSAGE: WOKE UP THIS MORNING WAS UNABLE TO BREATH AND HAD A HEADACHE , IT IS COMING FROM THE US STEEL CLAIRTON WORKS

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 12-13--2018

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017

ACHD Complaints System

AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	

ACHD Complaints System

AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	

ACHD Complaints System

AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181213-181724

AIR POLLUTION - GENERAL

Date Incident Occurred: 12/12/2018

Time Incident Occurred: 09:30 AM

Complaint Property : **4146 GITTENS ST**

Apt/Unit#:

City: **PITTSBURGH, 15212**

Municipality: **PITTSBURGH CITY**

Census Tract: **32701**

Ward: **27**

Nature of Complaint : AT 3AM ON THE 12-12-18, I WAS AWAKENED BY CHEST PRESSURE & PALPITATIONS. MY PULSE WAS IRREGULAR & EVEN IN BED-SHORT OF BREATH.

OUTDOOR STENCH DESCRIBED AS THICK, SMOGGY, DIRTY AIR HAD INFILTRATED MY HOME.

HAD TO LEAVE HOME 12-12-18 @ 9:30 WEARING A RESPIRATOR MASK-I EXPERIENCES THE SAME-WORSENEED BY DIESEL EMISSIONS.

TODAY, 12-13-18 INDOORS-I AM EXPERIENCING SIMILAR SYMPTOMS. OUTSIDE DOOR OPENED ONCE TO RECEIVE MAIL. SAME DESCRIPTION AS ABOVE WITH ADDITION OF INDUSTRIAL/CHEMICAL, WET DANK SAND & ROTTING WOOD ODOR.

THIS IS A SAD WAY TO GO THROUGH LIFE-I'M SURE YOU HEAR THIS QUITE OFTEN. I WISH THIS WASN'T THE CASE.

PLEASE ADVISE IF THIS CAN BE USED AS A FORMAL COMPLAINT. I HAVE NO TRUST IN THE CURRENT ACHD AIR MONITORS OR DOT GOV READINGS.

I REGRET THAT I DON'T ALWAYS MAKE A SEPARATE REPORT TO YOU. PLEASE HELP ME KNOW THE EASIEST WAY TO DO THIS.

I USUALLY NOTE IT ON THE SMELL APP.

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: **15212 GENERAL AREA**

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/13/2018

Compl.Time: 12:59 PM

ACHD Complaints System

, PA 15212

Phone(s):

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num		Date Complained
AIR-20140911-159495		09/11/2014
AIR-20151208-166191		12/06/2015

ACHD Complaints System

Service Request # AIR-20181213-181727

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 12/13/2018

Time Incident Occurred: 12:24 PM

Complaint Property : **FRANKSTOWN RD**

Apt/Unit#:

City: **PENN HILLS, PA 15235**

Municipality: **PENN HILLS, MUNICIPALITY OF**

Census Tract: **99999**

Ward:

Nature of Complaint : 8917 FRANKSTOWN ROAD - BURNING LAWN DIBRIS AND OTHER THINGS
CREATING HORRIBLE SMOKE AND ODOR.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **FRANKSTOWN ROAD 15235**

FRANKSTOWN RD

PENN HILLS, PA 15235

Phone(s):

Additional Comments: CALL INTO ACHD- KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180529-180419	05/29/2018	
AIR-20180907-181239	09/07/2018	

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/13/2018

Compl.Time: 02:25 PM

ACHD Complaints System

Service Request # AIR-20181214-181728

AIR POLLUTION - GENERAL

Date Incident Occurred: 12/14/2018

Time Incident Occurred: 08:15 AM

Complaint Property :

Apt/Unit#:

City: OAKMONT, PA 15139

Municipality: OAKMONT BOROUGH

Census Tract: 99999

Ward:

Nature of Complaint :

FIRST NOTICED: OFF AND ON FOR THE LAST 3 MONTHS CONTACTED SOMEONE
AUTHORITY: FIRE DEPT/POLICE/OFFICE MNG/MAINTENANCE CURRENT
DATE/TIME: 12/14/2018 08:01 AM TAS AGENT: LINDA
MESSAGE: SHE SAID SHE HAS BEEN SMELLING SOMETHING IN HER APARTMENT ON AND OFF FOR SEVERAL MONTHS,SHE HAS BEEN TO AN EMERGENCY SEVERAL TIMES THIS WK SINCE THE ODOR IS MAKING HER SICK,SHE WAS TO THE ER THIS MORNING AND THE DOCTOR TOLD HER TO REPORT THE ISSUE TO THE HEALTH DEPT., SHE SAID THE AUTHORITY'S HAVE SAID THEY MADE REPORTS AND CAN SMELL IT, BUT NOTHING IS BEING

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: 15139 GENERAL AREA

OAKMONT, PA 15139

Phone(s):

Additional Comments: ANSWERING SERIVE 12-14-2018 @ 08:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181214-181729

AIR QUALITY - ODOR

Date Incident Occurred: 12/13/2018

Time Incident Occurred: 09:00 PM

Complaint Property :

Apt/Unit#:

City: PLEASANT HILLS, PA 15236

Municipality: PLEASANT HILLS BOROUGH

Census Tract: 99999

Ward:

Nature of Complaint : I NOTICED A HEAVY SULFUR SMELL IN THE AIR WITH A THICK HAZE.

Complainant:

Email:

Phone(s):

Complaint Against: 15236 GENERAL AREA

PLEASANT HILLS, PA 15236

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180620-180555	06/20/2018	
AIR-20180618-180540	06/18/2018	
AIR-20180612-180512	06/12/2018	

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/14/2018

Compl.Time: 09:06 AM

ACHD Complaints System

Service Request # AIR-20181214-181730

AIR QUALITY - ODOR

Date Incident Occurred: 12/13/2018

Time Incident Occurred: 09:00 PM

Complaint Property :

Apt/Unit#:

City: , PA 15122

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : SUBJECT SEPTIC SMELL/ROTTEN EGG SMELL/ HAZE IN THE AIR
MESSAGE 9 PM WEST MIFFLIN PA 15122. AWFUL STRONG ODOR AND
HAZE IN THE AIR. SMELLS LIKE ROTTEN EGGS AND RAW SEWAGE.

Complainant:

Email:

Phone(s):

Complaint Against: 15122 GENERAL AREA

, PA 15122

Phone(s):

Additional Comments: WEBSITE 12-13-2018 @ 09:47 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171017-176976	10/17/2017	
AIR-20171017-176984	09/15/2017	
AIR-20171109-177462	09/23/2017	
AIR-20171117-177696	09/29/2017	
AIR-20171128-177846	11/28/2017	
AIR-20171204-177998	12/04/2017	
AIR-20171017-177008	09/16/2017	
AIR-20170922-176749	09/15/2017	
AIR-20181113-181620	11/12/2018	
AIR-20181220-181790	12/20/2018	

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/13/2018

Compl.Time: 09:47 PM

ACHD Complaints System

AIR-20190103-181877	01/03/2019	
AIR-20181214-181731	12/13/2018	
AIR-20181214-181736	12/14/2018	
AIR-20190104-181886	01/04/2019	
AIR-20181009-181440	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181214-181731

AIR QUALITY - ODOR

Date Incident Occurred: 12/13/2018

Time Incident Occurred: 08:00 PM

Complaint Property :

Apt/Unit#:

City: , PA 15122

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT SULFUR SMELL
MESSAGE 8:00 PM , WEST MIFFLIN AREA BEAR KENNYWOOD. NOXIOUS
SULFUR STENCH THAT YOU COULDN'T ESCAPE. KIDS COMPLAINED OF
HEADACHES & NAUSEA. EXTREMELY STRONG AND ALL OVER MOST OF
THE NORTH END OF THE BOROUGH

Complainant:

[REDACTED]

, PA

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: 15122 GENERAL AREA

, PA 15122

Phone(s):

Additional Comments: WEBSITE 12-13-2018 @ 11:07 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171017-176976	10/17/2017	
AIR-20171017-176984	09/15/2017	
AIR-20171109-177462	09/23/2017	
AIR-20171117-177696	09/29/2017	
AIR-20171128-177846	11/28/2017	
AIR-20171204-177998	12/04/2017	
AIR-20171017-177008	09/16/2017	
AIR-20170922-176749	09/15/2017	

ACHD Complaints System

AIR-20181113-181620	11/12/2018	
AIR-20181220-181790	12/20/2018	
AIR-20190103-181877	01/03/2019	
AIR-20181214-181730	12/13/2018	
AIR-20181214-181736	12/14/2018	
AIR-20190104-181886	01/04/2019	
AIR-20181009-181440	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181214-181732

AIR QUALITY - ODOR

Date Incident Occurred: 12/14/2018

Time Incident Occurred: 11:00 PM

Complaint Property :

Apt/Unit#:

City: , PA

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT ROTTEN EGGS
MESSAGE CONTINUOUSLY STARTING AT 12/13/18 9:00PM WHEN MY WIFE
AND I STEPPED OUTSIDE TO LOOK AT METEORS, WE NOTICED A
STRONG SMELL OF SULPHUR,
LIKE JUST LIT MATCHES OR ROTTEN EGGS PERMEATED THE AIR
OUTSIDE. I WOULDN'T CALL IT THE SMELL FROM NATURAL GAS. I
BELIEVE IT'S COMING FROM THE EDGAR THOMPSON WORKS. IT IS THE
SAME SMELL AS THE SLAG THEY HAUL AWAY IN DUMP TRUCKS AS I
PASS THEM ON THE RANKIN BRIDGE. BY THE TIME WE WERE READY
FOR BED, THE SMELL HAD STARTED TO MAKE IT'S WAY INSIDE THE
HOUSE. I WOKE JUST NOW (12/14/18 AT 5AM) AND IT IS STRONG
ENOUGH TO MAKE ME
SLIGHTLY NAUSEOUS. I STEPPED OUTSIDE TO VERIFY IT ISN'T
SOMETHING INSIDE THE HOUSE.

Complainant:

[REDACTED]

, PA

Email:

[REDACTED]

Phone(s):

Complaint Against: *ALLEGHENY COUNTY GENERAL AREA

, PA

Phone(s):

Additional Comments: WEBSITE 12-14-2018 @ 06:00 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num

Date Complained

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/14/2018

Compl.Time: 06:00 AM

ACHD Complaints System

Service Request # AIR-20181214-181733

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 12/14/2018

Time Incident Occurred: 07:20 AM

Complaint Property : **CARLTON ST**

Apt/Unit#:

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PENN HILLS, MUNICIPALITY OF**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT OPEN BURNING ON CONSTRUCTION SITE
MESSAGE A CONSTRUCTION SITE AT APPROXIMATELY 4617 CARLTON STREET, PITTSBURGH, PA 15201, HAS A BURN BARREL. I UNDERSTAND THAT THE WORKERS WANT TO STAY WARM WHILE OUTSIDE ON A COLD DAY BUT I WITNESSED THE FLAMES DANCING ABOVE THEIR HEADS. THIS IS A HIGH-DENSITY NEIGHBORHOOD AND THE FLAMES ARE A FEW FEET FROM HALFDENSITY NEIGHBORHOOD AND THE FLAMES ARE A FEW FEET FROM HALF-COMPLETED, WOODEN-FRAMED HOUSES. ARTICLE XXI § 2105.50(A)(1)(B) STATES THAT OPENING BURNING MUST OCCUR, "AT LEAST 15 FEET FROM THE NEAREST NEIGHBOR'S DWELLING OR INHABITED AREA, ANY PROPERTY LINE, ROADWAY, SIDEWALK, OR PUBLIC ACCESS WAY." I AM FAIRLY CERTAIN THE CONSTRUCTION SITE IS NOT ADHERING TO THIS AND OTHER OPEN-BURNING REGULATIONS.

Complainant:

Email:

Phone(s):

Complaint Against: **CARLTON STREET 15201**

CARLTON ST

LAWRENCEVILLE, PA 15201

Phone(s):

Additional Comments: WEBSITE 12-14-2018 @ 07:20 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num

Date Complained

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/14/2018

Compl.Time: 07:20 AM

ACHD Complaints System

Service Request # AIR-20181214-181734

AIR QUALITY - ODOR

Date Incident Occurred: 12/14/2018

Time Incident Occurred: 11:20 AM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : SMELL IS HORRIBEL. FIRE IS TRAVELING CLOSER TO PARKING LOT AND TREES ARE STARTING TO BURN.

Complainant:

Email:

Phone(s):

Complaint Against: **PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP**

FERRY ST

CREIGHTON, PA 15030

Phone(s): 724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments: CALL INTO ACHD - 12-14-2018 @ 11:21 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180307-179773	03/06/2018	
AIR-20180307-179775	03/06/2018	
AIR-20180223-179588	02/23/2018	
AIR-20180326-179937	03/25/2015	
AIR-20180423-180142	04/23/2018	
AIR-20180320-179927	03/20/2018	
AIR-20180927-181376	09/27/2018	
AIR-20180920-181338	09/20/2018	

ACHD Complaints System

AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20181011-181458	10/11/2018	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	

ACHD Complaints System

AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181214-181735

AIR QUALITY - ODOR

Date Incident Occurred: 12/14/2018

Time Incident Occurred: 11:37 AM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : FIRE IS GETTING WORSE. THERE WAS A COMPANY THAT CAME IN TO CUT THE TREES BACK BECAUSE THEY ARE STARTING TO BURN. THE SMOKE IS EVERYWHERE. ITS GETTING A LOT WORSE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP**

FERRY ST

CREIGHTON, PA 15030

Phone(s): 724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180307-179773	03/06/2018	
AIR-20180307-179775	03/06/2018	
AIR-20180223-179588	02/23/2018	
AIR-20180326-179937	03/25/2015	
AIR-20180423-180142	04/23/2018	
AIR-20180320-179927	03/20/2018	
AIR-20180927-181376	09/27/2018	

ACHD Complaints System

AIR-20180920-181338	09/20/2018	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20181011-181458	10/11/2018	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	

ACHD Complaints System

AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181214-181736

AIR QUALITY - ODOR

Date Incident Occurred: 12/14/2018

Time Incident Occurred: 12:48 PM

Complaint Property :

Apt/Unit#:

City: , PA 15122

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : STRONG ODOR OF INDUSTIRAL SMOKE AND HAZY IN AREA BY PITTSBURGH MCKEESPORT BLVD.

Complainant: *Phone Call,Anonymous

, PA

Email:

Phone(s):

Complaint Against: 15122 GENERAL AREA

, PA 15122

Phone(s):

Additional Comments:

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171017-176976	10/17/2017	
AIR-20171017-176984	09/15/2017	
AIR-20171109-177462	09/23/2017	
AIR-20171117-177696	09/29/2017	
AIR-20171128-177846	11/28/2017	
AIR-20171204-177998	12/04/2017	
AIR-20171017-177008	09/16/2017	
AIR-20170922-176749	09/15/2017	
AIR-20181113-181620	11/12/2018	
AIR-20181220-181790	12/20/2018	
AIR-20190103-181877	01/03/2019	
AIR-20181214-181730	12/13/2018	

ACHD Complaints System

AIR-20181214-181731	12/13/2018	
AIR-20190104-181886	01/04/2019	
AIR-20181009-181440	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181217-181737

AIR POLLUTION - GENERAL

Date Incident Occurred: 12/17/2018

Time Incident Occurred: 08:40 AM

Complaint Property : **GRAND AV**

Apt/Unit#:

City: NEVILLE ISLAND, PA 15225

Municipality: NEVILLE TOWNSHIP

Census Tract: 99999

Ward:

Nature of Complaint : SOMEWHERE IN THE 4300 BLOCK OF GRAND AVENUE SOMEONE IS OPEN AIR SANDBLASTING AND THERE ARE PARTICULATES IN THE AIR.

Complainant: *Phone Call,Anonymous

, PA

Email:

Phone(s):

Complaint Against: 15225 GRAND AVENUE

GRAND AV

NEVILLE ISLAND, PA 15225

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/17/2018

Compl.Time: 08:40AM

ACHD Complaints System

Service Request # AIR-20181218-181757

AIR POLLUTION - GENERAL

Date Incident Occurred: 12/17/2018

Time Incident Occurred: 01:21 PM

Complaint Property : **3340 SMALLMAN ST**

Apt/Unit#:

City: **LAWRENCEVILLE, 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Nature of Complaint : I JUST OBSERVED KITCHEN RAMA WITH THE GARAGE DOOR OPEN AND CUTTING STONE WITH LOTS OF DEBRIS GOING RIGHT INTO OUR BREATHING AIR.

WHAT CAN ALLEGHENY COUNTY HEALTH DEPARTMENT DO TO HELP THIS BAD SITUATION?

Complainant:

[REDACTED]

[REDACTED]

[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against: **PITTSBURGH KITCHENRAMMA**

3340 SMALLMAN ST

LAWRENCEVILLE, 15201

Phone(s): 412-6872308 WORK

Additional Comments: EMAIL TO ACHD - NICHOLAS CAITO

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20181105-181579	11/02/2018

ACHD Complaints System

Service Request # AIR-20181219-181777

AIR QUALITY - ODOR

Date Incident Occurred: 12/19/2018

Time Incident Occurred: 07:34 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : MESSAGE: THERE IS A STRONG SULFUR CHEMICAL SMELL INSIDE HIS RESIDENCE AS WELL AS OUTSIDE. THE SMELL IS COMING FROM THE US STEEL CLAIRTON MILL WORKS BUILDING.

Complainant:

Email:

Phone(s):

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 12-19-2018 @ 08:30 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017
AIR-20171113-177529	09/25/2017
AIR-20171122-177782	11/21/2017
AIR-20171220-178496	12/19/2017
AIR-20171205-178014	11/30/2017
AIR-20171122-177789	11/21/2017
AIR-20171108-177426	09/22/2017
AIR-20171220-178543	12/17/2017

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	

ACHD Complaints System

AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181219-181778

AIR QUALITY - ODOR

Date Incident Occurred: 12/19/2018

Time Incident Occurred: 09:06 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : CALLER WORKS AT JEFFERSON ELEMENTRY SCHOOL ON OLD CLAIRTON ROAD AND FOR THE PAST WEEK THE SMELL HAS JUST BEEN OVERWHELMING.

Complainant: ***Phone Call,Anonymous**

, PA

Email:

Phone(s):

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	

ACHD Complaints System

AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181219-181779

AIR POLLUTION - ASBESTOS

Date Incident Occurred: 12/19/2018

Time Incident Occurred: 09:01 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT SMELL IN THE AIR
MESSAGE 7:55AM JEFFERSON HILLS, PA
THERE IS A STRONG SMELL OF INDUSTRIAL POLLUTION IN THE AIR. I
SMELLED IT INITIALLY AT 7:55 AND THE SMELL IS STILL PRESENT NOW AT
9:00AM. IT BURNS MY NOSTRILS TO BREATHE THE AIR OUTSIDE MY
HOME.

Complainant:

Email:

Phone(s):

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE 12-19-2018

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complied	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	

ACHD Complaints System

AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	

ACHD Complaints System

AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	

ACHD Complaints System

AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181219-181780

AIR QUALITY - ODOR

Date Incident Occurred: 12/20/2018

Time Incident Occurred: 09:45 AM

Complaint Property :

Apt/Unit#:

City: NATRONA HEIGHTS, PA 15065

Municipality: HARRISON TOWNSHIP

Census Tract: 99999

Ward:

Nature of Complaint : HEAVY BURNING WIRE CHEMICAL SMELL THINKS ITS COMING FROM ALLEGHENY LUDLUM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: 15065 GENERAL AREA

NATRONA HEIGHTS, PA 15065

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20181219-181781	12/19/2018

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/19/2018

Compl.Time: 09:45 AM

ACHD Complaints System

Service Request # AIR-20181219-181781

AIR QUALITY - ODOR

Date Incident Occurred: 12/19/2018

Time Incident Occurred: 09:52 AM

Complaint Property :

Apt/Unit#:

City: NATRONA HEIGHTS, PA 15065

Municipality: HARRISON TOWNSHIP

Census Tract: 99999

Ward:

Nature of Complaint : HORRIBLE SMELL IN THE AREA. CHEMICAL --- BURNING ELECTRICITY NOT SURE THINKS IT ATI

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: 15065 GENERAL AREA

NATRONA HEIGHTS, PA 15065

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20181219-181780	12/19/2018

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/19/2018

Compl.Time: 09:55 AM

ACHD Complaints System

Service Request # AIR-20181219-181782

AIR POLLUTION - ASBESTOS

Date Incident Occurred: 12/19/2018

Time Incident Occurred: 10:03 AM

Complaint Property : **436 GRANT ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15219**

Municipality:

Census Tract: **30201**

Ward:

Nature of Complaint : A COUNTY EMPLOYEE CALLED. THE FOURTH FLOOR HAD A RADIATOR LEAK THAT FLOODED THE ENTIRE FLOOR. THEY ARE REPLACING FLOOR TILE AND CARPETS. THERE IS MOLD AND THEY ARE CONCERNED ABOUT ASBESTOS AS WELL. WOULD LIKE SOMEONE TO COME LOOK AT THE REPAIRS AND MAKE SURE IT IS A SAFE ENVIRONMENT TO WORK IN.

Complainant: ***Phone Call,Anonymous**

, PA

Email:

Phone(s):

Complaint Against: **ALLEGHENY COUNTY COURT HOUSE**

436 GRANT ST

PITTSBURGH, PA 15219

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
HCE-20080821-16020	08/21/2008
HCE-20081119-28701	11/19/2008

ACHD Complaints System

Service Request # AIR-20181219-181783

AIR QUALITY - ODOR

Date Incident Occurred: 12/19/2018

Time Incident Occurred: 09:48 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT CLAIRTON MILL POLUTION
MESSAGE DAILY SMELL, MOSTLY EVENING IN JEFFERSON HILLS AREA.

Complainant:



, PA

Email:



Phone(s):

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE 12-19-2018 @ 09:48 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	

ACHD Complaints System

AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181219-181784

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 12/19/2018

Time Incident Occurred: 11:40 AM

Complaint Property : **UNION AV**

Apt/Unit#:

City: **BRACKENRIDGE, PA 15014**

Municipality: **HARRISON TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : NEIGHBOR AT 1133 UNION AVE HAS A FIRE PIT AND WOULD LIKE THEM TO STOP BURNING.

HAS CALLED BRACKENRIDGE POLICE OUT ON THEM PREVIOUSLY NOT SURE WHAT WAS DONE OR SAID.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against: **UNION AVENUE 15014**

UNION AV

BRACKENRIDGE, PA 15014

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181219-181785

AIR QUALITY - ODOR

Date Incident Occurred: 12/19/2018

Time Incident Occurred: 03:10 AM

Complaint Property : **1 CAMP HOLLOW RD**

Apt/Unit#:

City: **DRAVOSBURG, PA 15034**

Municipality: **DRAVOSBURG BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint : **LARGE CLOUD OF DUST COMING OUT OF WATER SHED AREA COVERING NEIGHBORHOOD**

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against: ***US STEEL IRVIN WORKS**

1 CAMP HOLLOW RD

DRAVOSBURG, PA 15034

Phone(s):

-

Additional Comments: **CALL INTO ACHD - KAREN M SAGEL**

Supervisor:

Created By: **Sagel, Karen**

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20120117-150564	01/17/2012	
AIR-20171003-176888	10/03/2017	
AIR-20170927-176825	09/27/2017	
AIR-20171109-177486	09/24/2017	
AIR-20171204-177982	12/04/2017	
AIR-20180416-180082	04/14/2018	
AIR-20190114-181958	01/13/2019	
AIR-20190104-181884	01/03/2019	

ACHD Complaints System

Service Request # AIR-20181219-181786

AIR QUALITY - ODOR

Date Incident Occurred: 12/19/2018

Time Incident Occurred: 02:15 PM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : SMELL FROM UNDERGROUND FIRE IS GETTING WORSE AND THE SMOKE IS MORE OPRESSIVE AND SPREADING.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP**

FERRY ST

CREIGHTON, PA 15030

Phone(s): 724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180307-179773	03/06/2018	
AIR-20180307-179775	03/06/2018	
AIR-20180223-179588	02/23/2018	
AIR-20180326-179937	03/25/2015	
AIR-20180423-180142	04/23/2018	
AIR-20180320-179927	03/20/2018	
AIR-20180927-181376	09/27/2018	
AIR-20180920-181338	09/20/2018	

ACHD Complaints System

AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20181011-181458	10/11/2018	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	

ACHD Complaints System

AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181220-181787

AIR QUALITY - ODOR

Date Incident Occurred: 12/19/2018

Time Incident Occurred: 08:50 PM

Complaint Property : **11 BOGGS RD**

Apt/Unit#:

City: **IMPERIAL, PA 15126**

Municipality: **FINDLAY TOWNSHIP**

Census Tract: **54520**

Ward:

Nature of Complaint : AUTHORITY: LAND FILL,AGH COUNTY HEALTH DEPT., DEP CURRENT
DATE/TIME: 12/19/2018 08:44 PM
MESSAGE: COMING FROM THE LANDFILL- SMELLS LIKE LANDFILL

Complainant:

Email:

Phone(s):

Complaint Against: ***BFI IMPERIAL LANDFILL**

11 BOGGS RD

IMPERIAL, PA 15126

Phone(s): 724-6950900 OPERATIONS

Additional Comments: ANSWERING SERVICE 12-20-2018 @ 8:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
PDW-20100607-96220	06/07/2010	
PDW-20101203-116140	12/03/2010	
PDW-20100908-108680	09/08/2010	
PDW-20100929-111280	09/29/2010	
PDW-20110414-129781	04/14/2011	
PDW-20120314-151053	03/14/2012	
AIR-20180221-179495	02/20/2018	
AIR-20180409-180019	04/07/2018	
AIR-20180312-179841	03/09/2018	
AIR-20180312-179842	03/11/2018	

ACHD Complaints System

AIR-20180315-179898	03/14/2018	
AIR-20180501-180225	05/01/2018	
AIR-20180406-179999	04/05/2018	
AIR-20180604-180467	06/04/2018	
AIR-20181024-181530	10/24/2018	
AIR-20181105-181581	11/03/2018	
AIR-20181204-181683	12/04/2018	
AIR-20181130-181675	11/30/2018	
AIR-20190110-181917	01/09/2019	
AIR-20180911-181268	09/11/2018	
AIR-20190110-181930	01/09/2019	

ACHD Complaints System

Service Request # AIR-20181220-181788

AIR QUALITY - ODOR

Date Incident Occurred: 12/19/2018

Time Incident Occurred: 08:45 AM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint : I LIVE IN NORTH SQUIRREL HILL ON NORTHUMBERLAND STREET, 15217 AND HAVE SMELLED A STRONG CHEMICAL ODOR AT 8:30PM THAT HAS A SULFUR SMELL OF ROTTEN EGGS

Complainant:

Email:

Phone(s):

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: WEBSITE 12-19-2018 @ 08:45 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171204-177989	12/04/2017
AIR-20171218-178406	12/18/2017
AIR-20171226-178630	12/22/2017
AIR-20180116-178890	01/10/2018
AIR-20180227-179611	02/27/2018
AIR-20180213-179250	01/11/2018
AIR-20171211-178201	12/09/2017
AIR-20171019-177044	10/17/2017
AIR-20180227-179613	02/27/2018
AIR-20171204-177994	12/02/2017

ACHD Complaints System

AIR-20171204-177997	12/03/2017	
AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20181023-181527	10/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20181001-181402	10/01/2018	

ACHD Complaints System

Service Request # AIR-20181220-181789

AIR QUALITY - ODOR

Date Incident Occurred: 12/19/2018

Time Incident Occurred: 11:04 PM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT HORRIBLE STINK 12-19-2018
MESSAGE HI, AS DRIVING A FRIEND HOME THROUGH THE SQUIRREL HILL
TUNNEL TO EDGEWOOD WE SMELLED A HORRIBLY THICK SMELL,
SOMEWHAT SULFUROUS. I AM NOW HOME AND CONTINUE TO SMELL
THIS AND IT GIVES ME A HEADACHE.

IT HAS BEEN A WHILE SINCE THE AIR HAS BEEN
THIS BAD.

CURRENTLY 11PM ON WEDNESDAY
DECEMBER 19, 2018.

THANKS

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: WEBSITE 12-19-2018 @ 011:04 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/19/2018

Compl.Time: 11:04 PM

ACHD Complaints System

AIR-20171204-177989	12/04/2017	
AIR-20171218-178406	12/18/2017	
AIR-20171226-178630	12/22/2017	
AIR-20180116-178890	01/10/2018	
AIR-20180227-179611	02/27/2018	
AIR-20180213-179250	01/11/2018	
AIR-20171211-178201	12/09/2017	
AIR-20171019-177044	10/17/2017	
AIR-20180227-179613	02/27/2018	
AIR-20171204-177994	12/02/2017	
AIR-20171204-177997	12/03/2017	
AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20181023-181527	10/19/2018	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20181001-181402	10/01/2018	

ACHD Complaints System

Service Request # AIR-20181220-181790

AIR QUALITY - ODOR

Date Incident Occurred: 12/20/2018

Time Incident Occurred: 08:02 AM

Complaint Property :

Apt/Unit#:

City: , PA 15122

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT STRONG SULPHUR SMELL
MESSAGE 12/19/18 9PM TIL THIS REPORT AND BEYOND AT 12/20/18 8AM.
3607 OUTLOOK DRIVE, WEST MIFFLIN, PA, 15122. A STRONG SMELL OF
SULPHUR INSIDE AND OUTSIDE OF THE HOUSE. NAUSEATING.

Complainant:

[REDACTED]

, PA

Email:

[REDACTED]

Phone(s):

Complaint Against: 15122 GENERAL AREA

, PA 15122

Phone(s):

Additional Comments: WEBSITE 12-220-2018 @ 08:02 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171017-176976	10/17/2017	
AIR-20171017-176984	09/15/2017	
AIR-20171109-177462	09/23/2017	
AIR-20171117-177696	09/29/2017	
AIR-20171128-177846	11/28/2017	
AIR-20171204-177998	12/04/2017	
AIR-20171017-177008	09/16/2017	
AIR-20170922-176749	09/15/2017	
AIR-20181113-181620	11/12/2018	

ACHD Complaints System

AIR-20190103-181877	01/03/2019	
AIR-20181214-181730	12/13/2018	
AIR-20181214-181731	12/13/2018	
AIR-20181214-181736	12/14/2018	
AIR-20190104-181886	01/04/2019	
AIR-20181009-181440	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181220-181791

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 12/20/2018

Time Incident Occurred: 08:36 AM

Complaint Property :

Apt/Unit#:

City: , PA 15236

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT OPEN ILLEGAL BURNING
MESSAGE IT'S ALWAYS IN THE MORNINGS ANYWHERE FROM 7 TO 830.
THE AREA OF AFFECT IS BALDWIN BOROUGH AND BRENTWOOD. IM ON
[REDACTED]. I CAN SMELL IT LIKE IT'S BEING BURNT RIGHT NEXT
DOOR BUT CAN NEVER TELL WHERE IT'S COMING FROM. BUT IT'S
DEFINITELY MATERIALS BEING BURNT THAT SHOULD NOT BE BURNT
BECAUSE OF THAT DISTINCT ODOR [PLASTICS, STYROFOAM, ETC] IM
GETTING REALLY SICK AND TIRED OF
WHOEVER IS RESPONSIBLE BECAUSE THEY SEEM TO BE GETTING AWAY
WITH IT. IF THERE'S ANY WAY TO INVESTIGATE THIS
MATTER, PLEASE DO. THANK YOU.

Complainant:

[REDACTED]

, PA

Email:

[REDACTED]

Phone(s):

Complaint Against: 15236 GENERAL AREA

, PA 15236

Phone(s):

Additional Comments: WEBSITE 12-20-2018 @ 08:36 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181220-181792

AIR QUALITY - ODOR

Date Incident Occurred: 12/20/2018

Time Incident Occurred: 12:31 PM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : SMELL IS REALLY BAD SMOKE IS VERY HEAVY THE FIRE IS SPREADING THE PARKING LOT AND ALONG THE RIVERBANK.

Complainant:

Email:

Phone(s):

Complaint Against: **PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP**

FERRY ST

CREIGHTON, PA 15030

Phone(s): 724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20180307-179773	03/06/2018
AIR-20180307-179775	03/06/2018
AIR-20180223-179588	02/23/2018
AIR-20180326-179937	03/25/2015
AIR-20180423-180142	04/23/2018
AIR-20180320-179927	03/20/2018
AIR-20180927-181376	09/27/2018
AIR-20180920-181338	09/20/2018

ACHD Complaints System

AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20181011-181458	10/11/2018	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181793	12/20/2018	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	

ACHD Complaints System

AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181220-181793

AIR QUALITY - ODOR

Date Incident Occurred: 12/20/2018

Time Incident Occurred: 12:35 PM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : **SMOKE HEAVY FIRE IS SPREADING**

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180307-179773	03/06/2018	
AIR-20180307-179775	03/06/2018	
AIR-20180223-179588	02/23/2018	
AIR-20180326-179937	03/25/2015	
AIR-20180423-180142	04/23/2018	
AIR-20180320-179927	03/20/2018	
AIR-20180927-181376	09/27/2018	
AIR-20180920-181338	09/20/2018	
AIR-20180831-181178	08/31/2018	

ACHD Complaints System

AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20181011-181458	10/11/2018	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	

ACHD Complaints System

AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181220-181794

AIR QUALITY - ODOR

Date Incident Occurred: 12/20/2018

Time Incident Occurred: 12:40 PM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint : SMELL OF ROTTEN EGGS AND NATURAL GAS FOR SEVERAL DAYS IN AREA BETWEEN SCHENLEY SIDE OF PHILLIPS AND ALONG MURRAY AVE. I GET MAYBE 1-3 HEADACHES IN A YEAR AND I'VE HAD A CONSTANT ONE SINCE THE SMELL BEGAN. LAST THURSDAY THERE WERE BLACK PARTICLES ALL OVER MY WINDSHIELD THAT FORMED INTO SLUDGE AFTER WIPING.

IF THIS BECOMES CONSTANT SMELL I'M CONSIDERING MOVING OUT OF THE AREA.

Complainant: *Website,Anonymous

, PA

Email:

Phone(s):

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: WEBSITE 12-20-2018 @ 014:40 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171204-177989	12/04/2017	
AIR-20171218-178406	12/18/2017	
AIR-20171226-178630	12/22/2017	

ACHD Complaints System

AIR-20180116-178890	01/10/2018	
AIR-20180227-179611	02/27/2018	
AIR-20180213-179250	01/11/2018	
AIR-20171211-178201	12/09/2017	
AIR-20171019-177044	10/17/2017	
AIR-20180227-179613	02/27/2018	
AIR-20171204-177994	12/02/2017	
AIR-20171204-177997	12/03/2017	
AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20181023-181527	10/19/2018	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20181001-181402	10/01/2018	

ACHD Complaints System

Service Request # AIR-20181220-181795

AIR QUALITY - ODOR

Date Incident Occurred: 12/20/2018

Time Incident Occurred: 12:50 PM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint : 12/19 MORNING UNTIL 12/20 AFTERNOON.
GREENFIELD, INTERSECTION OF KENNEBEC AND
WINDSOR STREETS.
THE SMELL OF ACRID SULFUR WAS SO STRONG
THAT IT GAVE ME A SORE THROAT AND MADE MY
EYES WATER. IT SEEPED INTO MY HOUSE AND
ACTUALLY KEPT ME AWAKE AT NIGHT. MY SIX
MONTH OLD, WHO WE KEPT INDOORS, WAS
COUGHING MORE THAN USUAL. IT WAS TERRIBLE
—PLEASE ADDRESS THIS!!

Complainant:

Email:

Phone(s):

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: WEBSITE 12-20-2018 @ 012:50 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171204-177989	12/04/2017
AIR-20171218-178406	12/18/2017
AIR-20171226-178630	12/22/2017

ACHD Complaints System

AIR-20180116-178890	01/10/2018	
AIR-20180227-179611	02/27/2018	
AIR-20180213-179250	01/11/2018	
AIR-20171211-178201	12/09/2017	
AIR-20171019-177044	10/17/2017	
AIR-20180227-179613	02/27/2018	
AIR-20171204-177994	12/02/2017	
AIR-20171204-177997	12/03/2017	
AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181227-181826	12/27/2018	
AIR-20181023-181527	10/19/2018	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20181001-181402	10/01/2018	

ACHD Complaints System

Service Request # AIR-20181220-181796

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 12/20/2018

Time Incident Occurred: 01:20 PM

Complaint Property :

Apt/Unit#:

City: , PA 15132

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : COMING ACROSS THE MCKEESPORT/DUQUESNE BRIDGE THERE IS LAND BEING CLEARED BELOW THE BRIDGE THAT HAS A HUGE FIRE AND THE SMOKE IS FILLING UP THE WHOLE RIVER AREA!

Complainant:

Email:

Phone(s):

Complaint Against: 15132 GENERAL AREA

, PA 15132

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Action Type: CLOSED

Action Date: 12/21/2018

Action Name: UPDATE

Created By: CAITO

Comments:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180502-180240	05/01/2018	
AIR-20180717-180726	07/13/2018	
AIR-20181228-181837	12/28/2018	

ACHD Complaints System

AIR-20180820-181059	08/19/2018	

ACHD Complaints System

Service Request # AIR-20181220-181797

AIR QUALITY - ODOR

Date Incident Occurred: 12/20/2018

Time Incident Occurred: 03:20 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-12/20/18

-3:00PM

-METALICO RECYCLING, NEVILLE ISLAND

- STRONG AND CONSISTENT ODOR OF BURNING PLASTIC FOR OVER AN HOUR. A LOT OF CREAM-COLORED SMOKE AND SMOG HOVERING OVER THE ISLAND.

**ALSO NOTICED THIS PLACE (SEE PHOTO BELOW) (I THINK IT'S A PAVING COMPANY) HAS BEEN EMITTING A LOT MORE HAZY SMOKE AT A FAR HIGHER PACE THAN NORMAL. I THINK IT'S BEEN MIXING WITH METALICO AND NEVILLE GALVANIZING TO CREATE THIS HAZY SMOG THAT'S BEEN FAR MORE NOTICEABLE FOR OVER THE PAST 2 MONTHS. I'M IN SEWICKLEY A LOT AND THE HAZE, ON MOST DAYS, DRIFTS DOWN RIVER AS FAR AS THE BRIDGE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num

Date Complained

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/20/2018

Compl.Time: 03:20 PM

ACHD Complaints System

AIR-20170825-176227	08/22/2017	
AIR-20170601-175171	06/01/2017	
AIR-20171226-178618	12/21/2017	
AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	
AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	

ACHD Complaints System

AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	
AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	

ACHD Complaints System

AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	
AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20190110-181919	01/09/2019	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	

ACHD Complaints System

Service Request # AIR-20181226-181817

AIR QUALITY - ODOR

Date Incident Occurred: 12/24/2018

Time Incident Occurred: 12:45 PM

Complaint Property : **MONONGAHELA AV**

Apt/Unit#:

City: **SWISSVALE, PA 15218**

Municipality: **SWISSVALE BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint : 12:45PM 12/24
2110 (I THINK) MONONGAHELA AVE IN
SWISSVALE.
SOMEONE IS GUTTING ONE OF THE BUILDINGS
ACROSS THE ALLEYWAY FROM MY PROPERTY.
THEY HAVE BEEN BURNING MATERIAL IN A
BARREL IN THE BACKYARD FREQUENTLY (~10
TIMES AT LEAST AT THIS POINT) OVER THE LAST
MONTH OR SO. IT IS VERY SMOKY AND THE
ODOR TRAVELS, AND THE BARREL IS VERY CLOSE
TO THE NEIGHBOR'S YARD. BARREL IS NO MORE
THAN A FEW FEET FROM THE GARAGE ON THE
PROPERTY AND THE FLAMES DO GET HIGH. I
WOULD PREFER TO REMAIN ANONYMOUS IF
ACTION IS TAKEN, BUT WOULD APPRECIATE
ACTION BEING TAKEN. THEY JUST FIRED UP THE
BARREL AGAIN.

Complainant:



, PA

Email:



Phone(s):

Complaint Against: **MONONGAHELA AVENUE 15218**

MONONGAHELA AV

SWISSVALE, PA 15218

Phone(s):

Additional Comments: WEBSITE 12-24-2018 @ 12:47 PM

Supervisor:

Created By: Sagel, Karen

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/24/2018

Compl.Time: 12:47 PM

ACHD Complaints System

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
---------------	------------------------

ACHD Complaints System

Service Request # AIR-20181227-181819

AIR QUALITY - ODOR

Date Incident Occurred: 12/26/2018

Time Incident Occurred: 09:57 PM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT BAD SMELL OUTSIDE. GETTING SICK AND NAUSEOUS MESSAGE THE BAD SULPHUR SMELL BEGAN OR WAS NOTED AT AROUND 8:45. THE LOCATION IS ROSEMOOR STREET AND LANDVIEW STREET. THIS ISSUE OF STRONG SULPHURIC /SMOKY ODORS IN OUR NEIGHBORHOOD IS BECOMING MORE FREQUENT AND CONSISTENT. WE ARE BECOMING ALARMED AS INTENSITY IS QUITE STRONG! PLEASE LET ME KNOW THAT OUR NEIGHBORHOOD DOESN'T NEED TO PUT UP WITH THIS HEALTH HAZARD ANYMORE. THANK YOU FOR YOUR MOST SERIOUS ATTENTION TO THIS MATTER IN KEEPING OUR CITY PLEASANT HEALTHY AND LIVABLE .

Complainant:

[REDACTED]

, PA 15217

Email:

[REDACTED]

Phone(s):

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: WEBSITE 12-26-2018 @ 09:57 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20181227-181820

AIR QUALITY - ODOR

Date Incident Occurred: 12/26/2018

Time Incident Occurred: 11:31 AM

Complaint Property :

Apt/Unit#:

City: , PA 15207

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT AIR QUALITY 15207

MESSAGE 2 COMPLAINTS - MY HUSBAND HAD ASTHMA AND THIS WEEK THE AIR QUALITY HAS BEEN SO TERRIBLE HE HAD TO TAKE HIS INHALER ANY TIME HE IS OUTSIDE FOR MORE THAN 5 OR 10 MINS. ALSO THIS AFTERNOON THE AIR ON OUR STREET SMELLED LIKE SULPHUR. ZIP CODE 15207. HOPING TO SOMEDAY SOON BE ABLE TO GO OUTSIDE AND BREATHE!

Complainant:



Email:

, PA 15207



Phone(s):

Complaint Against: 15207 GENERAL AREA

, PA 15207

Phone(s):

Additional Comments: WEBSITE 12-26-2018 @ 11:31 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/26/2018

Compl.Time: 11:31 PM

ACHD Complaints System

Service Request # AIR-20181227-181821

AIR QUALITY - ODOR

Date Incident Occurred: 12/26/2018

Time Incident Occurred: 11:32 PM

Complaint Property :

Apt/Unit#:

City: SQUIRREL HILL, PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint : SUBJECT POOR AIR QUALITY SQUIRRELL HILL
MESSAGE IT'S 11 PM ON DECEMBER 26 AND THE AIR QUALITY IN
SQUIRREL HILL IS TERRIBLE, IT SMELLS LIKE SULFUR AND IT IS CAUSING
HEADACHES. THIS IS A DISGRACE THE CITY NEEDS TO DO SOMETHING
TO FIX THIS.

Complainant:

Email:

Phone(s):

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: WEBSITE 12-26-2018 @ 11:26 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/26/2018

Compl.Time: 11:26 PM

ACHD Complaints System

Service Request # AIR-20181227-181822

AIR QUALITY - ODOR

Date Incident Occurred: 12/26/2018

Time Incident Occurred: 08:17 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : MESSAGE: SMELL IS VERY BAD CANNOT EVEN LET DOGS OUT

Complainant:

Email:

Phone(s):

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: ANSWERING SERVICE 12-26-2018 @ 08:17 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	

ACHD Complaints System

AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20181227-181823

AIR QUALITY - ODOR

Date Incident Occurred: 12/26/2018

Time Incident Occurred: 10:58 PM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint : MESSAGE: NEIGHBORHOOD SMELLS OF ROTTEN EGGS

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: ANSWERING SERVICE 12-26-2018 @ 10:58 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171204-177989	12/04/2017	
AIR-20171218-178406	12/18/2017	
AIR-20171226-178630	12/22/2017	
AIR-20180116-178890	01/10/2018	
AIR-20180227-179611	02/27/2018	
AIR-20180213-179250	01/11/2018	
AIR-20171211-178201	12/09/2017	
AIR-20171019-177044	10/17/2017	
AIR-20180227-179613	02/27/2018	
AIR-20171204-177994	12/02/2017	
AIR-20171204-177997	12/03/2017	
AIR-20180110-178845	01/10/2018	

ACHD Complaints System

AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181826	12/27/2018	
AIR-20181023-181527	10/19/2018	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20181001-181402	10/01/2018	

ACHD Complaints System

Service Request # AIR-20181227-181824

AIR QUALITY - ODOR

Date Incident Occurred: 12/27/2018

Time Incident Occurred: 11:30 AM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : THE SMELL IS REALLY BAD TODAY. THINKS THE FIRE IS GETTING WORSE. IT IS MORE THAN JUST STEAM, THERE IS A DARKER GREY SMOKE COMING FROM THE GROUND.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP**

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments: CALL INTO ACHD @ 12-27-2018

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180307-179773	03/06/2018	
AIR-20180307-179775	03/06/2018	
AIR-20180223-179588	02/23/2018	
AIR-20180326-179937	03/25/2015	
AIR-20180423-180142	04/23/2018	
AIR-20180320-179927	03/20/2018	
AIR-20180927-181376	09/27/2018	

ACHD Complaints System

AIR-20180920-181338	09/20/2018	
AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20181011-181458	10/11/2018	
AIR-20180928-181377	09/28/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	

ACHD Complaints System

AIR-20181001-181401	09/30/2018	
AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181227-181826

AIR QUALITY - ODOR

Date Incident Occurred: 12/26/2018

Time Incident Occurred: 10:00 PM

Complaint Property :

Apt/Unit#:

City: , PA 15217

Municipality: PITTSBURGH CITY

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT FOUL ODORS IN SQUIRRELL HILL
MESSAGE WE HAD A STRONG ODOR OF SULFUR YESTERDAY AT 10-
00P.M-11-00 P.M. IN SQUIRREL HILL,
ZIP CODE 15217. IT WAS VERY STRONG.

Complainant:



, PA

Email:



Phone(s):

Complaint Against: 15217 GENERAL AREA

, PA 15217

Phone(s):

Additional Comments: WEBSITE COMPLAINT 12-27-2018 @ 03:24 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171204-177989	12/04/2017	
AIR-20171218-178406	12/18/2017	
AIR-20171226-178630	12/22/2017	
AIR-20180116-178890	01/10/2018	
AIR-20180227-179611	02/27/2018	
AIR-20180213-179250	01/11/2018	
AIR-20171211-178201	12/09/2017	
AIR-20171019-177044	10/17/2017	
AIR-20180227-179613	02/27/2018	

ACHD Complaints System

AIR-20171204-177994	12/02/2017	
AIR-20171204-177997	12/03/2017	
AIR-20180110-178845	01/10/2018	
AIR-20171019-177047	10/19/2017	
AIR-20180322-179929	03/21/2018	
AIR-20180502-180243	05/02/2018	
AIR-20180502-180245	05/02/2018	
AIR-20190117-181986	01/17/2019	
AIR-20180806-180859	08/05/2018	
AIR-20180806-180860	08/05/2018	
AIR-20181227-181823	12/26/2018	
AIR-20181023-181527	10/19/2018	
AIR-20181220-181788	12/19/2018	
AIR-20181220-181789	12/19/2018	
AIR-20181220-181794	12/20/2018	
AIR-20181220-181795	12/20/2018	
AIR-20180608-180489	06/08/2018	
AIR-20181001-181402	10/01/2018	

ACHD Complaints System

Service Request # AIR-20181228-181837

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 12/28/2018

Time Incident Occurred: 08:55 AM

Complaint Property :

Apt/Unit#:

City: , PA 15132

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : SMOKE IS FILLING WHOLE VALLEY CLEAR DOWN TO KENNYWOOD.
HEAVY AND THICK, SMELLS HORRIBLE.

Complainant: *Phone Call,Anonymous

, PA

Email:

Phone(s):

Complaint Against: 15132 GENERAL AREA

, PA 15132

Phone(s):

Additional Comments: CALL INTO ACHD

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180502-180240	05/01/2018	
AIR-20180717-180726	07/13/2018	
AIR-20181220-181796	12/20/2018	
AIR-20180820-181059	08/19/2018	

ACHD Complaints System

Service Request # AIR-20181228-181838

AIR QUALITY - ODOR

Date Incident Occurred: 12/28/2018

Time Incident Occurred: 12:55 PM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : IT STINKS AND THE SMOKE HEAVING HANGING OVER ENTIRE NEIGHBORHOOD.SITUATION IS GETTING WORSE

Complainant:

Email:

Phone(s):

Complaint Against: **PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST DEER TOWNSHIP**

FERRY ST

CREIGHTON, PA 15030

Phone(s): 724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180307-179773	03/06/2018	
AIR-20180307-179775	03/06/2018	
AIR-20180223-179588	02/23/2018	
AIR-20180326-179937	03/25/2015	
AIR-20180423-180142	04/23/2018	
AIR-20180320-179927	03/20/2018	
AIR-20180927-181376	09/27/2018	
AIR-20180920-181338	09/20/2018	

ACHD Complaints System

AIR-20180831-181178	08/31/2018	
AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20181011-181458	10/11/2018	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20180828-181142	08/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	

ACHD Complaints System

AIR-20190102-181860	01/02/2019	
AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20181231-181857

AIR QUALITY - ODOR

Date Incident Occurred: 12/29/2018

Time Incident Occurred: 04:20 PM

Complaint Property : **616 HITE RD**

Apt/Unit#: **P. O. BOX 11250**

City: **HARWICK, PA 15049**

Municipality: **SPRINGDALE TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : MESSAGE: SMELLS LIKE XYLENE OR TOLUENE IT IS ABOUT 3 TO 3 & 1/2 MILES AWAY, HE SAID IT IS STRONG, AND CAN SMELL IT IN HIS HOME

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***WATSON STANDARD COMPANY - HARWICK PLANT**

616 HITE RD

HARWICK, PA 15049 - 8945

Phone(s): 724-2751000 WORK
412-4809993 OTHER
724-2752000 FAX

Additional Comments: ANSWERING SERVICE 12-31-2018 @ 08:30 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
PDW-20090528-49660	05/28/2009	
AIR-20130821-155447	08/21/2013	
AIR-20180104-178776	01/04/2018	
AIR-20180109-178816	01/09/2018	
AIR-20181231-181858	12/30/2018	

ACHD Complaints System

Service Request # AIR-20181231-181858

AIR QUALITY - ODOR

Date Incident Occurred: 12/30/2018

Time Incident Occurred: 04:45 PM

Complaint Property : **616 HITE RD**

Apt/Unit#: **P. O. BOX 11250**

City: **HARWICK, PA 15049**

Municipality: **SPRINGDALE TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/30/2018

Compl.Time: 04:45 PM

Nature of Complaint : MESSAGE: CALLER DESCRIBES IT AS A VERY STRONG SOLVENT ODOR, STRONG ENOUGH TO BURN YOUR SINUSES; HE GUESSES IT'S EITHER POLURENE OR XYLENE. IT APPEARS TO BE COMING FROM THE PLANT THAT MAKES ADHESIVES. THE ODOR IS STRONGEST OUTDOORS BUT IT IS STILL DETECTABLE INDOORS. IT IS A FREQUENT ODORS IN THE NEIGHBORHOOD AND AROUND THE CALLER'S HOME. HE HAS REPORTED SIMILAR ODORS OVER THE YEARS AND NOT RECEIVED A SATISFACTORY RESPONSE.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: *WATSON STANDARD COMPANY - HARWICK PLANT

616 HITE RD

HARWICK, PA 15049 - 8945

Phone(s):

724-2751000

WORK

412-4809993

OTHER

724-2752000

FAX

Additional Comments:

ANSWERING SERVICE 12-31-2018 @ 08:30 AM

Supervisor:

Created By:

Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
PDW-20090528-49660	05/28/2009	
AIR-20130821-155447	08/21/2013	
AIR-20180104-178776	01/04/2018	
AIR-20180109-178816	01/09/2018	

ACHD Complaints System

AIR-20181231-181857	12/29/2018	

ACHD Complaints System

Service Request # AIR-20181231-181859

AIR POLLUTION - GENERAL

Date Incident Occurred: 12/31/2018

Time Incident Occurred: 12:40 PM

Complaint Property : **251 CURRY HOLLOW RD**

Apt/Unit#:

City: **PITTSBURGH, PA 15236**

Municipality: **PLEASANT HILLS BOROUGH**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : **PUMP # 14 IS LEAKING AT THE HANDLE.**

Complainant: ***Phone Call,Anonymous**

, PA

Email:

Phone(s):

Complaint Against: **SHEETZ #253**

251 CURRY HOLLOW RD

PITTSBURGH, PA 15236

Phone(s): 412-6535678 WORK
- OTHER

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/31/2018

Compl.Time: 12:41 PM

ACHD Complaints System

Service Request # AIR-20190102-181860

AIR QUALITY - ODOR

Date Incident Occurred: 01/02/2019

Time Incident Occurred: 10:11 AM

Complaint Property : **FERRY ST**

Apt/Unit#:

City: **CREIGHTON, PA 15030**

Municipality: **EAST DEER TOWNSHIP**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : **HEAVY SMOKE AND ODOR FROM UNDER GROUND FIRE.**

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

**PPG GLASS WORKS NO. 1 CREIGHTON - FERRY STREET IN EAST
DEER TOWNSHIP**

FERRY ST

CREIGHTON, PA 15030

Phone(s):

724-2266654 WORK
724-2266654 OTHER
724-2266614 FAX

Additional Comments: **CALL INTO ACHD - KAREN M SAGEL**

Supervisor:

Created By: **Sagel, Karen**

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180307-179773	03/06/2018	
AIR-20180307-179775	03/06/2018	
AIR-20180223-179588	02/23/2018	
AIR-20180326-179937	03/25/2015	
AIR-20180423-180142	04/23/2018	
AIR-20180320-179927	03/20/2018	
AIR-20180927-181376	09/27/2018	
AIR-20180920-181338	09/20/2018	
AIR-20180831-181178	08/31/2018	

ACHD Complaints System

AIR-20180831-181180	08/31/2018	
AIR-20180831-181184	08/31/2018	
AIR-20180831-181186	08/31/2018	
AIR-20180831-181187	08/31/2018	
AIR-20180831-181188	08/31/2018	
AIR-20180831-181190	08/31/2018	
AIR-20180924-181359	09/23/2018	
AIR-20181115-181626	11/15/2018	
AIR-20181219-181786	12/19/2018	
AIR-20180910-181259	09/10/2018	
AIR-20180910-181265	09/09/2018	
AIR-20180910-181267	09/10/2018	
AIR-20180917-181299	09/17/2018	
AIR-20180824-181109	08/24/2018	
AIR-20180824-181110	08/24/2018	
AIR-20181003-181412	10/03/2018	
AIR-20180824-181111	08/24/2018	
AIR-20180810-180970	08/10/2018	
AIR-20180823-181094	08/23/2018	
AIR-20180823-181095	08/23/2018	
AIR-20180823-181096	08/23/2018	
AIR-20180823-181097	08/23/2018	
AIR-20181210-181699	12/10/2018	
AIR-20180904-181213	09/04/2018	
AIR-20181011-181458	10/11/2018	
AIR-20180928-181377	09/28/2018	
AIR-20181227-181824	12/27/2018	
AIR-20180822-181085	08/21/2018	
AIR-20180822-181086	08/22/2018	
AIR-20180822-181088	08/22/2018	
AIR-20180822-181089	08/22/2018	
AIR-20180925-181371	09/25/2018	
AIR-20181101-181568	11/01/2018	
AIR-20181130-181676	11/30/2018	
AIR-20181220-181792	12/20/2018	
AIR-20181220-181793	12/20/2018	
AIR-20180828-181142	08/28/2018	
AIR-20181228-181838	12/28/2018	
AIR-20180820-181063	08/20/2018	
AIR-20181009-181442	10/08/2018	
AIR-20181005-181423	10/05/2018	
AIR-20181214-181734	12/14/2018	
AIR-20181214-181735	12/14/2018	
AIR-20180906-181224	09/06/2018	
AIR-20181001-181399	10/01/2018	
AIR-20181001-181401	09/30/2018	

ACHD Complaints System

AIR-20180827-181123	08/25/2018	
AIR-20180827-181130	08/24/2018	
AIR-20180827-181133	08/27/2018	
AIR-20180827-181134	08/22/2018	
AIR-20180830-181164	08/30/2018	
AIR-20180830-181165	08/30/2018	
AIR-20181126-181659	11/26/2018	
AIR-20180823-181098	08/23/2018	
AIR-20180823-181103	08/23/2018	
AIR-20180823-181106	08/23/2018	
AIR-20180919-181332	09/19/2018	
AIR-20181025-181539	10/25/2018	

ACHD Complaints System

Service Request # AIR-20190102-181862

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 12/31/2018

Time Incident Occurred: 12:01 PM

Complaint Property : **STOLTZ RD**

Apt/Unit#:

City: **PITTSBURGH, PA 15129**

Municipality: **SOUTH PARK TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

I HAD CALL THE POLICE ON BOTH SATURDAY AND SUNDAY BECAUSE OF SWINDELL'S SMOKE, AND MY HUSBAND JUST CALLED THE POLICE A FEW MINUTES AGO. CARL SWINDELL DELIBERATELY CONTINUES TO BURN SO THAT THE SMOKE FROM HIS HOUSE ENTERS MY BARN. HE IS BURNING CONSTRUCTION MATERIALS AND DEBRIS. THIS STARTED IN MARCH OF 2016, STOPPED WHEN A FIRE MARSHALL PERSONALLY SPOKE TO SWINDELL, AND STARTED UP AGAIN IN FEBRUARY OF 2018 AFTER I FILED WITH THE MAGISTRATE BECAUSE OF THE DAMAGE SWINDELL DID TO MY LAND AND PROPERTY WITH THE NATURAL SPRING WATER FROM HIS BASEMENT. SWINDELL CAN CONTROL THE SMOKE: HE'S PROVEN THAT TIME AND AGAIN BECAUSE HE WILL TURN IT ON WHENEVER WE ARRIVE AT THE BARN, AND TURN IT OFF ONCE HE HAS SEEN HE HAS DRIVEN US OUT OF THE BARN. MY POOR ANIMALS HAVE TO BREATHE THIS SMOKE. HOW MUCH LONGER DO I HAVE TO TOLERATE THIS MAN'S DELIBERATE ACTIONS TO HARM US AND OUR PONIES?

Complainant:

[REDACTED]

Email:

[REDACTED]

Phone(s):

[REDACTED]

Complaint Against: **STOLTZ ROAD 15129**

STOLTZ RD

PITTSBURGH, PA 15129

Phone(s):

Additional Comments: EMAIL INTO ACHD - JAMES BOLLINGER

Supervisor:

Created By: Sagel, Karen

Actions:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 12/31/2018

Compl.Time: 12:01 PM

ACHD Complaints System

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180301-179652	03/01/2018	
AIR-20180409-180021	04/09/2018	
AIR-20180409-180024	04/09/2018	
AIR-20181105-181584	11/05/2018	
AIR-20181119-181642	11/19/2018	
AIR-20181114-181625	11/07/2018	
AIR-20190118-181994	01/17/2019	
AIR-20190118-181995	11/05/2018	

ACHD Complaints System

Service Request # AIR-20190103-181877

AIR QUALITY - ODOR

Date Incident Occurred: 01/03/2019

Time Incident Occurred: 06:23 AM

Complaint Property :

Apt/Unit#:

City: , PA 15122

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : A FIRE BURNING FOR THE PAST WEEK TO THE LEFT OF FISHER BODY BUILDING.

Complainant:

Email:

Phone(s):

Complaint Against: 15122 GENERAL AREA

, PA 15122

Phone(s):

Additional Comments: ANSWERING SERVICE 01-03-2019 AT 8:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171017-176976	10/17/2017	
AIR-20171017-176984	09/15/2017	
AIR-20171109-177462	09/23/2017	
AIR-20171117-177696	09/29/2017	
AIR-20171128-177846	11/28/2017	
AIR-20171204-177998	12/04/2017	
AIR-20171017-177008	09/16/2017	
AIR-20170922-176749	09/15/2017	
AIR-20181113-181620	11/12/2018	
AIR-20181220-181790	12/20/2018	
AIR-20181214-181730	12/13/2018	
AIR-20181214-181731	12/13/2018	

ACHD Complaints System

AIR-20181214-181736	12/14/2018	
AIR-20190104-181886	01/04/2019	
AIR-20181009-181440	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190103-181878

AIR QUALITY - ODOR

Date Incident Occurred: 01/03/2019

Time Incident Occurred: 06:00 AM

Complaint Property : **10 FEDERAL ST**

Apt/Unit#: **GATE 10**

City: **NATRONA HIGHTS, PA 15065**

Municipality: **HARRISON TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : **HEAVY LIME DUST COVERING**

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/03/2019

Compl.Time: 06:00 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***HARSCO METALS NATRONA FACILITY**

10 FEDERAL ST

NATRONA HIGHTS, PA 15065

Phone(s):

Additional Comments: ANSWERING SERVICE 01-03-2018 @ 06:00 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171218-178408	12/18/2017	
AIR-20171204-177983	12/03/2017	
AIR-20171006-176905	10/06/2017	
AIR-20171005-176901	10/05/2017	
AIR-20170928-176831	09/27/2017	
AIR-20170928-176832	09/27/2017	
AIR-20171130-177903	11/30/2017	
AIR-20171006-176903	10/06/2017	
AIR-20171120-177729	11/20/2017	
AIR-20171204-177999	12/01/2017	
AIR-20180228-179629	02/28/2018	
AIR-20180404-179981	04/02/2018	

ACHD Complaints System

AIR-20180501-180227	05/01/2018	
AIR-20180502-180241	05/02/2018	
AIR-20180430-180204	04/28/2018	
AIR-20180430-180221	04/30/2018	
AIR-20180829-181160	08/29/2018	
AIR-20180829-181162	08/29/2018	
AIR-20180810-180965	08/10/2018	
AIR-20181011-181455	10/11/2018	
AIR-20181011-181457	10/11/2018	
AIR-20180822-181084	08/21/2018	
AIR-20180919-181331	09/19/2018	
AIR-20180727-180795	07/27/2018	
AIR-20180711-180697	07/11/2018	
AIR-20180816-181034	08/16/2018	
AIR-20180726-180786	07/26/2018	
AIR-20180726-180787	07/26/2018	
AIR-20180726-180789	07/26/2018	
AIR-20180523-180391	05/22/2018	
AIR-20180523-180395	05/22/2018	
AIR-20190110-181933	01/09/2019	
AIR-20180816-181029	08/16/2018	

ACHD Complaints System

Service Request # AIR-20190103-181880

AIR QUALITY - ODOR

Date Incident Occurred: 12/31/2018

Time Incident Occurred: :

Complaint Property :

Apt/Unit#:

City: , PA 15228

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : TODAY (12/31/18) AND ONE DAY LAST WEEK THERE IS A STRONG ODOR OF SULFUR OR SOME OTHER RELEASE IN THE AIR. IT IS STRONG ENOUGH THAT IT HAS GOTTEN INTO MY HOME, AND IS VERY STRONG OUTSIDE. SOMEONE I FEAR IS TAKING ADVANTAGE OF THE HOLIDAYS TO RELEASE. WE LIVE IN MT. LEBANON BELOW SCOTT ROAD.

Complainant: *Dep,Anonymous

, PA

Email:

Phone(s):

Complaint Against: 15228 GENERAL AREA

, PA 15228

Phone(s):

Additional Comments: EMAIL FROM DEP 01-03-2018 @ 10:01 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/03/2019

Compl.Time: 10:01 AM

ACHD Complaints System

Service Request # AIR-20190103-181882

AIR QUALITY - ODOR

Date Incident Occurred: 01/03/2018

Time Incident Occurred: 12:05 PM

Complaint Property : **MONONGAHELA AV**

Apt/Unit#:

City: **SWISSVALE, PA 15218**

Municipality: **PITTSBURGH CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : NAPPI'S DELIVERY TRUCK IDLING AT THE CORNER OF
CHURCH & MONONGAHELA STREETS NEAR MALDINI'S PIZZA.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s): [REDACTED] HOME

Complaint Against: **MONONGAHELA AVE 15218**

MONONGAHELA AV
SWISSVALE, PA 15218

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171220-178528	12/17/2017	
AIR-20171101-177282	11/01/2017	
AIR-20180803-180846	08/02/2018	

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/03/2019

Compl.Time: 12:06 PM

ACHD Complaints System

Service Request # AIR-20190104-181884

AIR QUALITY - ODOR

Date Incident Occurred: 01/03/2018

Time Incident Occurred: 06:24 PM

Complaint Property : **1 CAMP HOLLOW RD**

Apt/Unit#:

City: **DRAVOSBURG, PA 15034**

Municipality: **DRAVOSBURG BOROUGH**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT BAD AIR HEADACHES COUGHS
MESSAGE ALL THE TIME ETERNAL FLAME ALWAYS
GOING AT THE IRVIN WORKS WEST
MIFFLIN PA. IT'S CAUSING COUGHING
FOR MY HUSBAND AND I . THIS IS
CONSTANT LIGHTS THE NIGHT SKY WERE
WE LIVE . SO TIRED OF THIS AND
NOTHING DONE NO WONDER THERE'S
SO MANY PEOPLE WITH CANCER IN THE
TOWNS AROUND HERE !

Complainant: ***Website,Anonymous**

, PA

Email:

Phone(s):

Complaint Against: ***US STEEL IRVIN WORKS**

1 CAMP HOLLOW RD

DRAVOSBURG, PA 15034

Phone(s): -

Additional Comments: WEBSITE 01-03-2019 @ 06:24 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20120117-150564	01/17/2012
AIR-20171003-176888	10/03/2017
AIR-20170927-176825	09/27/2017

ACHD Complaints System

AIR-20171109-177486	09/24/2017	
AIR-20171204-177982	12/04/2017	
AIR-20180416-180082	04/14/2018	
AIR-20181219-181785	12/19/2018	
AIR-20190114-181958	01/13/2019	

ACHD Complaints System

Service Request # AIR-20190104-181886

AIR QUALITY - ODOR

Date Incident Occurred: 01/04/2019

Time Incident Occurred: 01:57 PM

Complaint Property :

Apt/Unit#:

City: , PA 15122

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : HEAVY HAZE IN THE AIR AND BURNT SMELL PERMIATING THE AREA. HAS BEEN GOING ON FOR SEVERAL DAYS

Complainant: *Phone Call,Anonymous

, PA

Email:

Phone(s):

Complaint Against: 15122 GENERAL AREA

, PA

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171017-176976	10/17/2017	
AIR-20171017-176984	09/15/2017	
AIR-20171109-177462	09/23/2017	
AIR-20171117-177696	09/29/2017	
AIR-20171128-177846	11/28/2017	
AIR-20171204-177998	12/04/2017	
AIR-20171017-177008	09/16/2017	
AIR-20170922-176749	09/15/2017	
AIR-20181113-181620	11/12/2018	
AIR-20181220-181790	12/20/2018	
AIR-20190103-181877	01/03/2019	
AIR-20181214-181730	12/13/2018	

ACHD Complaints System

AIR-20181214-181731	12/13/2018	
AIR-20181214-181736	12/14/2018	
AIR-20181009-181440	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190107-181897

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 01/04/2019

Time Incident Occurred: 05:04 AM

Complaint Property : **HART DR**

Apt/Unit#:

City: **CRESCENT, PA 15046**

Municipality: **CRESCENT TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : 1-3-2019 WITNESS MY
NEIGHBOR BURNING WHITE
POLYSTYRENE PACKAGING
MATERIALS.
I REPORTED IT TO THE
CRESCENT TWP POLICE.

1-4-2019 WITNESSED MY
NEIGHBOR BURNING TREATED
DECKING MATERIALS.
SEVERAL WEEKS AGO I
WITNESSED HIM BURNING A
BOX SPRING FROM A
MATTRESS SET.

LOCATION: 341 HART DRIVE
CRESCENT PA 15046
PROPERTY OWNERS NAME:
BETH ANDERSON

THE SIZE OF THE FIRE PIT
IS WELL OVER THE 3X3X2
SIZE LISTED ON THE ACHD
SITE.

I HAVE PICTURES I CAN
PROVIDE AND IF YOU NEED
ANY ADDITIONAL
INFORMATION PLEASE LET
ME KNOW. I CAN ALSO BE
REACHED ON MY CELL PHONE

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/04/2019

Compl.Time: 05:04 PM

Complainant:



ACHD Complaints System

Email:

Phone(s):



Complaint Against:

HART DRIVE 15046

HART DR

CRESCENT, PA 15046

Phone(s):

Additional Comments:

WEBSITE 01-04-2019 @ 05:04 PM

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num

Date Complained

ACHD Complaints System

Service Request # AIR-20190107-181898

AIR QUALITY - ODOR

Date Incident Occurred: 01/04/2019

Time Incident Occurred: 08:33 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT POOR AIR QUALITY
MESSAGE ODOR OF COKE PLANT OVER POINT
BREEZE 1/4/2019 AT 12 NOON .
STRONG BURNING SMELL CONSISTENT
WITH PREVIOUS INCIDENTS IN EAST
END OF PGH

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/04/2019

Compl.Time: 08:33 PM

Complainant:

Email:

Phone(s):

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE 01-04-2019

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	

ACHD Complaints System

AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	

ACHD Complaints System

AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	

ACHD Complaints System

AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190107-181899

AIR QUALITY - ODOR

Date Incident Occurred: 01/06/2019

Time Incident Occurred: 05:06 PM

Complaint Property :

Apt/Unit#:

City: , PA 15133

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

SUBJECT POOR AIR QUALITY
MESSAGE ODOR OF COKE PLANT OVER POINT BREEZE 1/4/2019 AT 12
NOON .
STRONG BURNING SMELL CONSISTENT WITH PREVIOUS INCIDENTS IN
EAST END OF PGH

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: 15133 GENERAL AREA

, PA 15133

Phone(s):

Additional Comments: ANSWERING SERVICE 01-07-2019 @ 08:30 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20190107-181900	01/05/2019

ACHD Complaints System

Service Request # AIR-20190107-181900

AIR QUALITY - ODOR

Date Incident Occurred: 01/05/2019

Time Incident Occurred: 09:47 PM

Complaint Property :

Apt/Unit#:

City: , PA 15133

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint :

NAME

PHONE

YOUR

ADDRESS

ADDRESS,

LOCATION, OR

DESCRIPTION OF

ODOR

HAVE YOU CONTACTED OTHER NO

AUTHORITIES REGARDING THIS

COMPLAINT?

IF PREVIOUSLY REPORTED, WHEN?

SMELLS LIKE ROTTEN EGGS

Complainant:

Email:

Phone(s):

Complaint Against: 15133 GENERAL AREA

, PA 15133

Phone(s):

Additional Comments: ANSWERING SERVICE 01-07-2019 @ 08:30 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num

Date Complained

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/05/2019

Compl.Time: 09:47 PM

ACHD Complaints System

AIR-20190107-181899	01/07/2019	

ACHD Complaints System

Service Request # AIR-20190107-181901

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 01/06/2019

Time Incident Occurred: 09:56 AM

Complaint Property : **GREENWOOD ST**

Apt/Unit#:

City: **SHARPSBURG, PA 15206**

Municipality: **SHALER TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT FIRE BURNING IN PITTSBURGH?
MESSAGE EVENINGS IN 'DECENT'
WEATHER.
LATEST INCIDENT: 1/5/2019

6936 GREENWOOD OFTEN
BURNS WOOD LOGS IN THE
EVENING. I AM CONCERNED
ABOUT THIS DUE TO THE
MANY ELDERLY IN THE AREA
OF WHICH THIS COULD POSE
A HEALTH ISSUE DUE TO
BREATHING ISSUES.

IN ADDITION THESE FIRES
BURN FOR SEVERAL HOURS
AND ON PASSING BY THE
ALLEYWAY BEHIND THE
HOUSES CAN BE SEEN TO
THROW UP SPARKS AS
ACCELERATES ARE USED ON
THE FIRE. CANS OF
GASOLINE CAN ALSO BE
CLEARLY SEEN FROM THE
BACK ALLEY, AND AGAIN IN
PASSING IT HAS BEEN
WITNESSED BY SEVERAL
PEOPLE THAT SAID FIRE
HAS SMOLDERED WELL INTO
THE NIGHT.

Compl Status : CLOSED

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/06/2019

Compl.Time: 09:56 AM

Complainant: ***Website,Anonymous**

, PA

ACHD Complaints System

Email:

Phone(s):

Complaint Against: **GREENWOOD STREET 15206**

GREENWOOD ST
SHARPSBURG, PA 15206

Phone(s):

Additional Comments: WEBSITE 01-06-2019 @ 09:56 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Action Type: CLOSED

Action Date: 01/07/2019

Action Name: UPDATE

Created By: BOLLINGER

Comments:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190107-181902

AIR POLLUTION - GENERAL

Date Incident Occurred: 01/04/2019

Time Incident Occurred: 10:50 PM

Complaint Property :

Apt/Unit#:

City: PITTSBURGH, PA

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : SUBJECT DIESEL TRUCK IDLING
MESSAGE RECENTLY THERE HAS BEEN A NEW FOOD TRUCK
OPERATED BY BLUE SPARROW OUT OF AN OLD
BLUEBIRD BUS PARKED OUTSIDE OF ELEVENTH
HOUR BREWERY (3701 CHARLOTTE ST IN
LAWRENCEVILLE) AND TONIGHT IT HAS BEEN
IDLING FOR HOURS. WE CAN SMELL THE FUMES
INSIDE OF OUR HOME, WE ARE LESS THAN 20
FEET FROM IT. I THOUGHT THAT TRUCKS EVEN
FOOD TRUCKS ARE NOT PERMITTED TO IDLE FOR
EXTENDED PERIODS OF TIME. THIS SPECIFIC
INCIDENT IS OCCURRING TODAY 1/4/19 AT
10:45PM.

Complainant:

[REDACTED]

, PA

Email:

[REDACTED]

Phone(s):

Complaint Against: BLUE SPARROW FOOD TRUCK

PITTSBURGH, PA

Phone(s):

Additional Comments: WEBSITE 01-04-2019 @ 10:50 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Compl Status : CLOSED

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/04/2019

Compl.Time: 10:50 PM

ACHD Complaints System

Action Type: CLOSED

Action Date: 01/08/2019

Action Name: UPDATE

Created By: CAITO

Comments:

[REDACTED]

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190110-181917

AIR QUALITY - ODOR

Date Incident Occurred: 01/09/2018

Time Incident Occurred: 08:00 AM

Complaint Property : **11 BOGGS RD**

Apt/Unit#:

City: IMPERIAL, PA 15126

Municipality: FINDLAY TOWNSHIP

Census Tract: 54520

Ward:

Nature of Complaint : ODOR FROM LANDFILL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/09/2019

Compl.Time: 08:00 AM

Complainant:

[REDACTED]

[REDACTED]

[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: *BFI IMPERIAL LANDFILL

11 BOGGS RD

IMPERIAL, PA 15126

Phone(s): 724-6950900 OPERATIONS

Additional Comments: CALL INTO ANSWERING SERVICE 01-09-2019 @ 08:00 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
PDW-20100607-96220	06/07/2010	
PDW-20101203-116140	12/03/2010	
PDW-20100908-108680	09/08/2010	
PDW-20100929-111280	09/29/2010	
PDW-20110414-129781	04/14/2011	
PDW-20120314-151053	03/14/2012	
AIR-20180221-179495	02/20/2018	
AIR-20180409-180019	04/07/2018	
AIR-20180312-179841	03/09/2018	
AIR-20180312-179842	03/11/2018	
AIR-20180315-179898	03/14/2018	
AIR-20180501-180225	05/01/2018	

ACHD Complaints System

AIR-20180406-179999	04/05/2018	
AIR-20180604-180467	06/04/2018	
AIR-20181024-181530	10/24/2018	
AIR-20181105-181581	11/03/2018	
AIR-20181204-181683	12/04/2018	
AIR-20181130-181675	11/30/2018	
AIR-20181220-181787	12/19/2018	
AIR-20180911-181268	09/11/2018	
AIR-20190110-181930	01/09/2019	

ACHD Complaints System

Service Request # AIR-20190110-181918

AIR QUALITY - ODOR

Date Incident Occurred: 01/09/2019

Time Incident Occurred: 01:23 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT AIR QUALITY REPORT
MESSAGE TIME: EVERYDAY
LOCATION: CLAIRTON WORKS
COMPLAINT: THE COKE WORKS MILL IS ALWAYS
LETTING OFF FAR MORE POLLUTION THAN
ALLOWED ESPECIALLY WHEN DRIVING DOWN
ELIZABETH/GLASSPORT BLVD TOWARDS
ELIZABETH FROM CLAIRTON IT LITERALLY BURNS
YOUR EYES TO HAVE THE WINDOWS OPEN

Complainant:

[REDACTED]

, PA

Email:

[REDACTED]

Phone(s):

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE COMPLAINT 01-09-2019 @ 01:23 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	

ACHD Complaints System

AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	

ACHD Complaints System

AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	

ACHD Complaints System

AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190110-181919

AIR QUALITY - ODOR

Date Incident Occurred: 01/09/2018

Time Incident Occurred: 01:32 PM

Complaint Property : **3100 GRAND AV**

Apt/Unit#:

City: **PITTSBURGH, PA 15225**

Municipality: **NEVILLE TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint :

-1/9/19

-1:32PM

-METALICO RECYCLING, NEVILLE ISLAND

-MASSIVE EXPLOSION AT THE SHREDDER WITH A LOT OF THICK SMOKE. IT SHOOK ALL OF THE WINDOWS IN MY HOUSE. IT SCARED THE HELL OUT OF ME AND MADE ME DROP/SPILL/BREAK MY COFFEE MUG. I'M SO SICK AND TIRED OF THIS.

Complainant:

Email:

Phone(s):

Complaint Against:

***METALICO**

3100 GRAND AV

PITTSBURGH, PA 15225

Phone(s): 412-7717000

Additional Comments: EMAIL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20170825-176227	08/22/2017	
AIR-20170601-175171	06/01/2017	
AIR-20171226-178618	12/21/2017	
AIR-20171218-178431	12/15/2017	
AIR-20180215-179350	02/15/2018	
AIR-20180215-179383	02/15/2018	

ACHD Complaints System

AIR-20171220-178502	12/19/2017	
AIR-20171122-177790	11/21/2017	
AIR-20171226-178625	12/21/2017	
AIR-20171229-178696	12/28/2017	
AIR-20171221-178561	12/20/2017	
AIR-20171221-178592	12/21/2017	
AIR-20171221-178598	12/21/2017	
AIR-20180227-179605	02/27/2018	
AIR-20180227-179606	02/27/2018	
AIR-20180227-179607	02/27/2018	
AIR-20180103-178758	01/03/2018	
AIR-20180123-178926	01/23/2018	
AIR-20180213-179274	02/13/2018	
AIR-20180214-179285	02/13/2018	
AIR-20180214-179286	02/13/2018	
AIR-20180214-179287	02/13/2018	
AIR-20180214-179290	02/07/2018	
AIR-20180110-178837	01/09/2018	
AIR-20171206-178040	11/30/2017	
AIR-20180221-179498	02/21/2018	
AIR-20171201-177955	12/01/2017	
AIR-20171214-178357	12/04/2017	
AIR-20180220-179445	02/20/2018	
AIR-20180220-179446	02/20/2018	
AIR-20180220-179451	02/19/2018	
AIR-20180226-179603	02/26/2018	
AIR-20180227-179615	02/27/2018	
AIR-20171204-178002	12/04/2017	
AIR-20171204-178003	12/04/2017	
AIR-20180306-179748	03/05/2018	
AIR-20180413-180059	04/13/2018	
AIR-20180514-180314	05/14/2018	
AIR-20180322-179930	03/21/2018	
AIR-20180322-179931	03/21/2018	
AIR-20180508-180289	05/08/2018	
AIR-20180508-180290	05/08/2018	
AIR-20180420-180120	04/20/2018	
AIR-20180420-180123	04/20/2018	
AIR-20180426-180180	04/26/2018	
AIR-20180307-179783	03/07/2018	
AIR-20180307-179787	03/06/2018	
AIR-20180425-180160	04/25/2018	
AIR-20180514-180319	05/14/2018	
AIR-20180315-179897	03/15/2018	
AIR-20180315-179901	03/15/2018	
AIR-20180315-179902	03/15/2018	

ACHD Complaints System

AIR-20180315-179903	03/15/2018	
AIR-20180315-179904	03/15/2018	
AIR-20180315-179905	03/15/2018	
AIR-20180315-179907	03/15/2018	
AIR-20180315-179908	03/15/2018	
AIR-20180418-180101	04/18/2018	
AIR-20180314-179889	03/14/2018	
AIR-20180314-179890	03/14/2018	
AIR-20180416-180079	04/14/2018	
AIR-20180502-180251	05/02/2018	
AIR-20180502-180252	05/02/2018	
AIR-20180427-180184	04/27/2018	
AIR-20180427-180185	04/27/2018	
AIR-20180411-180046	04/11/2018	
AIR-20180920-181335	09/20/2018	
AIR-20180920-181336	09/20/2018	
AIR-20180920-181337	09/20/2018	
AIR-20181211-181711	12/11/2018	
AIR-20180926-181375	09/26/2018	
AIR-20181024-181531	10/19/2018	
AIR-20181024-181532	10/19/2018	
AIR-20181024-181536	10/24/2018	
AIR-20181031-181564	10/31/2018	
AIR-20181031-181565	10/31/2018	
AIR-20181120-181648	11/20/2018	
AIR-20180717-180732	07/16/2018	
AIR-20181003-181418	10/02/2018	
AIR-20181206-181691	12/06/2018	
AIR-20181210-181700	12/10/2018	
AIR-20181210-181704	12/10/2018	
AIR-20181004-181420	10/04/2018	
AIR-20181004-181421	10/04/2018	
AIR-20181011-181454	10/11/2018	
AIR-20181210-181705	12/10/2018	
AIR-20181210-181706	12/10/2018	
AIR-20181210-181708	12/10/2018	
AIR-20181129-181673	11/29/2018	
AIR-20181011-181459	10/08/2018	
AIR-20181011-181460	10/08/2018	
AIR-20180928-181384	09/28/2018	
AIR-20180928-181385	09/28/2018	
AIR-20190118-181989	01/18/2019	
AIR-20180619-180546	06/18/2018	
AIR-20180925-181370	09/25/2018	
AIR-20181015-181480	10/15/2018	
AIR-20181015-181483	10/15/2018	

ACHD Complaints System

AIR-20181002-181410	10/02/2018	
AIR-20181005-181424	10/05/2018	
AIR-20180803-180847	08/02/2018	
AIR-20180803-180849	08/02/2018	
AIR-20181113-181621	11/12/2018	
AIR-20181022-181521	10/22/2018	
AIR-20181022-181523	10/22/2018	
AIR-20181220-181797	12/20/2018	
AIR-20181010-181449	10/10/2018	
AIR-20180531-180444	05/31/2018	
AIR-20181107-181602	11/07/2018	
AIR-20181127-181663	11/27/2018	
AIR-20181127-181665	11/27/2018	
AIR-20181127-181666	11/27/2018	
AIR-20181127-181667	11/27/2018	
AIR-20181026-181542	10/26/2018	
AIR-20180726-180793	07/26/2018	
AIR-20180620-180561	06/20/2018	
AIR-20190116-181968	01/16/2019	
AIR-20180830-181167	08/30/2018	
AIR-20180830-181168	08/30/2018	
AIR-20180830-181169	08/30/2018	
AIR-20180702-180622	07/01/2018	
AIR-20180907-181240	09/07/2018	
AIR-20180726-180788	07/26/2018	
AIR-20180801-180841	08/01/2018	
AIR-20180523-180389	05/22/2018	
AIR-20180523-180390	05/22/2018	
AIR-20181128-181670	11/28/2018	
AIR-20181128-181671	11/28/2018	

ACHD Complaints System

Service Request # AIR-20190110-181920

AIR QUALITY - ODOR

Date Incident Occurred: 01/10/2019

Time Incident Occurred: 09:45 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : VERY UPSET THAT THIS FIRE HAPPENED ON DECEMBER 24TH AND THE ACHD TOOK SO LONG TO TELL PEOPLE THERE WAS A DANGER. IS VERY ANGRY ABOUT ACHD WONT SHUT CLAIRTON DOWN.

Complainant:

Email:

Phone(s):

Complaint Against: ***ALLEGHENY COUNTY HEALTH DEPARTMENT**

301 39TH ST

LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	

ACHD Complaints System

AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190110-181921

AIR POLLUTION - GENERAL

Date Incident Occurred: 01/09/2018

Time Incident Occurred: 02:13 PM

Complaint Property : **307 SIEBERT RD**

Apt/Unit#:

City: **PITTSBURGH, PA 15237**

Municipality: **HARMAR TOWNSHIP**

Census Tract: **55625**

Ward:

Nature of Complaint : COMPLAINANT STATES THAT HER DAUGHTER ATTENDS HOLY CROSS ACADEMY ON SIEBERT ROAD IN SHALER TOWNSHIP IS HAVING AN ALLERGIC REACTION AT SCHOOL. THIS ALLERGIC REACTION COINCIDES WITH CONSTRUCTION OF A WALL AT THE SCHOOL. COMPLAINANT WOULD LIKE TO SPEAK TO AN INSPECTOR/ENGINEER TO POSSIBLY ARRANGE TO HAVE THE SCHOOL INSPECTED.

Complainant:

Email:

Phone(s):

Complaint Against: HOLY CROSS ACADEMY

307 SIEBERT RD

PITTSBURGH, PA 15237

Phone(s): 412-3647171

Additional Comments: EMAIL INTO ACHD - EMIL FROM EPA

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

Service Request # AIR-20190110-181922

AIR QUALITY - ODOR

Date Incident Occurred: 01/09/2019

Time Incident Occurred: 09:15 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT CLAIRTON COKE WORKS
MESSAGE JAN 2...STRONG SULPHUR SMELL IN JEFFERSON
HILLS. FIRE AT CLAIRTON COKE WORKS ON
CHRISTMAS EVE HAS NOT SHUT DOWN, BUT
CONTINUES TO POISON 22 COMMUNITIES.
FINES ARE USELESS. SHUT THIS PLACE DOWN
ASAP!

Complainant:

[REDACTED]

, PA

Email:

[REDACTED]

Phone(s):

Complaint Against: *US STEEL CLAIRTON COKE WORKS

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE COMPLAINT - 01-09-2019 @ 05:15 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complaind	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	

ACHD Complaints System

AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	

ACHD Complaints System

AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	

ACHD Complaints System

AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190110-181923

AIR QUALITY - ODOR

Date Incident Occurred: 01/09/2019

Time Incident Occurred: 10:37 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**


Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:


Nature of Complaint : SUBJECT JEFFERSON HILLS AIR QUALITY MESSAGE ON JANUARY 8, AROUND 7:45 PM I WAS DRIVING ON COCHRAN ROAD AND WATERMAN W ON MY WAY HOME. THERE WAS AN UNUSUALLY EXTREME PUNGENT SULFUR SMELL IN THIS AREA. (WORSE THAN I'VE EVER NOTICED AND SMELLED BEFORE IN THIS AREA). SO NOW I'M WATCHING THE NEWS AND HEAR THAT THERE WAS A FIRE AT CLAIRTON WORKS ON CHRISTMAS EVE AND THE AIR QUALITY IS BAD. WHY DID YOU WAIT SO LONG TO INFORM THE PUBLIC?

Complainant:



, PA

Email:



Phone(s):

Complaint Against: *US STEEL CLAIRTON COKE WORKS

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE - 01-09-2018 @ 10:37 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017

ACHD Complaints System

AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	

ACHD Complaints System

AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	

ACHD Complaints System

AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190110-181924

AIR QUALITY - ODOR

Date Incident Occurred: 01/09/2019

Time Incident Occurred: 11:05 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT AIR ISSUE
MESSAGE I'M LIMITING THE TIME I'M SPENDING OUTSIDE
AND INSIDE MY HOME I'M SMELLING A SMELL
THAT HAS TO BE RELATED TO THE MILL'S ISSUE
AND IS CAUSING MY THROAT TO BE SORE. CAN
THIS ISSUE BE ESCALATED TO BE RESOLVED IN A
MORE EXPEDIENT MANNER AND HOW IS IT
ACCEPTABLE THAT WE ARE JUST BEING NOTIFIED
OF THIS ISSUE?

Complainant:

Email:

Phone(s):

Complaint Against: *ALLEGHENY COUNTY HEALTH DEPARTMENT

301 39TH ST

LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115

Additional Comments: WEBSITE - 01-09-2019 @ 11:05 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171108-177424	11/08/2017
AIR-20170605-175202	06/05/2017
AIR-20171003-176887	10/03/2017
AIR-20171019-177041	10/19/2017

ACHD Complaints System

AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	

ACHD Complaints System

AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	

ACHD Complaints System

AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190110-181925

AIR QUALITY - ODOR

Date Incident Occurred: 01/10/2019

Time Incident Occurred: 06:43 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT AIR QUALITY ALERT
MESSAGE WHY DO YOU NOT STOP US STEEL FROM OPERATING THERE
COKE PLANTS UNTIL REPAIRS ARE MADE, INSTEAD OF EFFECTING
HEALTH OF A MILLION PEOPLE????

Complainant:



, PA

Email:



Phone(s):

Complaint Against: ***ALLEGHENY COUNTY HEALTH DEPARTMENT**

301 39TH ST

LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115

Additional Comments: WEBSITE 1-10-2019 @ 6:43 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	

ACHD Complaints System

AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	

ACHD Complaints System

AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	

ACHD Complaints System

AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190110-181926

AIR QUALITY - ODOR

Date Incident Occurred: 01/10/2019

Time Incident Occurred: 09:45 AM

Complaint Property : **516 DELWAR RD**

Apt/Unit#:

City: **PITTSBURGH, PA 15236**

Municipality: **WEST MIFFLIN BOROUGH**

Census Tract: **UNKNOWN**

Ward:

Nature of Complaint : SUBJECT TMS INTERNATIONAL BURNING
MESSAGE TMS INTERNATIONAL AT
516 DELWAR RD,
PITTSBURGH, PA 15236
ROUTINELY BURNS TIRES
AND OTHER WASTE. ARE
THEY PERMITTED TO DO
THIS? DO THEY NEED A
PERMIT TO DO THIS? WHERE
CAN I LEARN MORE?

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/10/2019

Compl.Time: 09:45 AM

Complainant:



, PA

Email:



Phone(s):

Complaint Against: **TUBE CITY**

516 DELWAR RD

PITTSBURGH, PA 15236

Phone(s):

412-8816884

WORK

412-8816884

OTHER

412-8811940

FAX

Additional Comments:

WEBSITE 01-10-2019 @ 09:45 AM

Supervisor:

Created By:

Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num

Date Complained

AIR-20110901-149462

09/01/2011

ACHD Complaints System

AIR-20150916-164944	09/16/2015	
AIR-20190118-181988	01/18/2019	

ACHD Complaints System

Service Request # AIR-20190110-181927

AIR QUALITY - ODOR

Date Incident Occurred: 01/09/2019

Time Incident Occurred: 04:29 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : WOULD LIKE AN EXPLANATION AS TO WHY IT TOOK 6 EXCEEDANCES BEFORE ANY PUBLIC NOTICE WAS ISSUED BY ACHD REGARDING USS-CLAIRTON. HE'D LIKE A CALL-BACK ON THIS ISSUE.

Complainant:



, PA

Email:

Phone(s):



Complaint Against: ***ALLEGHENY COUNTY HEALTH DEPARTMENT**

301 39TH ST

LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115

Additional Comments: CALL INTO ACHD - DAVID ZAZAC

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complaind	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	

ACHD Complaints System

AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190110-181928

AIR QUALITY - ODOR

Date Incident Occurred: 01/07/2019

Time Incident Occurred: 08:30 PM

Complaint Property :

Apt/Unit#:

City:

Municipality:

Census Tract: UNKNOWN

Ward:

Nature of Complaint : CALLER SAYS AT THE TOP OF EAST PITTSBURH THERE IS A BURNING EGGS/CHEMICAL SMELL

Complainant:



, PA

Email:

Phone(s):

Complaint Against: *US STEEL CLAIRTON COKE WORKS

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: COMPLAINT WAS RECEIVED VIA E-MAIL.

Supervisor:

Created By: Wright, Whitney

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/10/2019

Compl.Time: 11:33 AM

ACHD Complaints System

Service Request # AIR-20190110-181930

AIR QUALITY - ODOR

Date Incident Occurred: 01/09/2019

Time Incident Occurred: 10:42 AM

Complaint Property : **11 BOGGS RD**

Apt/Unit#:

City: IMPERIAL, PA 15126

Municipality: FINDLAY TOWNSHIP

Census Tract: 54520

Ward:

Nature of Complaint : HORRIBLE ODOR FROM LANDFILL

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/09/2019

Compl.Time: 10:42 AM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: *BFI IMPERIAL LANDFILL

11 BOGGS RD

IMPERIAL, PA 15126

Phone(s): 724-6950900 OPERATIONS

Additional Comments: CALL INTO ACHD - KAREN M SAGEL - NICHOLAS CAITO

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
PDW-20100607-96220	06/07/2010	
PDW-20101203-116140	12/03/2010	
PDW-20100908-108680	09/08/2010	
PDW-20100929-111280	09/29/2010	
PDW-20110414-129781	04/14/2011	
PDW-20120314-151053	03/14/2012	
AIR-20180221-179495	02/20/2018	
AIR-20180409-180019	04/07/2018	
AIR-20180312-179841	03/09/2018	
AIR-20180312-179842	03/11/2018	
AIR-20180315-179898	03/14/2018	
AIR-20180501-180225	05/01/2018	

ACHD Complaints System

AIR-20180406-179999	04/05/2018	
AIR-20180604-180467	06/04/2018	
AIR-20181024-181530	10/24/2018	
AIR-20181105-181581	11/03/2018	
AIR-20181204-181683	12/04/2018	
AIR-20181130-181675	11/30/2018	
AIR-20181220-181787	12/19/2018	
AIR-20190110-181917	01/09/2019	
AIR-20180911-181268	09/11/2018	

ACHD Complaints System

Service Request # AIR-20190110-181931

AIR POLLUTION - GENERAL

Date Incident Occurred: 01/09/2019

Time Incident Occurred: 11:14 AM

Complaint Property : **900 VISTA PARK DR**

Apt/Unit#:

City: **ROBINSON TOWNSHIP, PA 15205**

Municipality: **ROBINSON TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : **TRUCK IDLEING**


Complainant:



, PA

Email:

Phone(s):



HOME

CELL PHONE

Complaint Against: **NESTLES WAREHOUSE**

900 VISTA PARK DR

ROBINSON TOWNSHIP, PA 15205

Phone(s):

Additional Comments: **CALL INTO ACHD**

Supervisor:

Created By: **Sagel, Karen**

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/09/2019

Compl.Time: 11:14 AM

ACHD Complaints System

Service Request # AIR-20190110-181932

AIR QUALITY - ODOR

Date Incident Occurred: 01/09/2019

Time Incident Occurred: 01:47 PM

Complaint Property :

Apt/Unit#:

City: , PA 15025

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : DEC. 24, 2019 TO PRESENT
CLAIRTON, PA
AIR QUALITY ISSUE IN CLAIRTON. WE NOTICED
MY GRANDSON'S ASTHMA HAS REALLY BEEN
BAD OVER THE LAST COUPLE OF WEEKS.
NEEDING TREATMENTS TO BREATHE.

Complainant:



, PA

Email:



Phone(s):

Complaint Against: 15025 GENERAL AREA

, PA 15025

Phone(s):

Additional Comments: WEBSITE 01-09-2019 @ 01:47 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Completed	
AIR-20171017-176982	09/15/2017	
AIR-20171115-177619	09/26/2017	
AIR-20171109-177473	09/23/2017	
AIR-20170922-176747	09/15/2017	
AIR-20180423-180143	04/23/2018	
AIR-20180810-180967	08/09/2018	
AIR-20190115-181964	01/13/2019	

ACHD Complaints System

Service Request # AIR-20190110-181933

AIR QUALITY - ODOR

Date Incident Occurred: 01/08/2019

Time Incident Occurred: 10:08 PM

Complaint Property : **10 FEDERAL ST**

Apt/Unit#: **GATE 10**

City: **NATRONA HIGHTS, PA 15065**

Municipality: **HARRISON TOWNSHIP**

Census Tract: **99999**

Ward:

Nature of Complaint : **EXPLOSIVE AND SAW FLAME / LITE DUST**

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/09/2019

Compl.Time: 02:33 PM

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***HARSCO METALS NATRONA FACILITY**

10 FEDERAL ST

NATRONA HIGHTS, PA 15065

Phone(s):

Additional Comments: CALL INTO ACHD - BERNIE KOVAC

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171218-178408	12/18/2017	
AIR-20171204-177983	12/03/2017	
AIR-20171006-176905	10/06/2017	
AIR-20171005-176901	10/05/2017	
AIR-20170928-176831	09/27/2017	
AIR-20170928-176832	09/27/2017	
AIR-20171130-177903	11/30/2017	
AIR-20171006-176903	10/06/2017	
AIR-20171120-177729	11/20/2017	
AIR-20171204-177999	12/01/2017	
AIR-20180228-179629	02/28/2018	
AIR-20180404-179981	04/02/2018	

ACHD Complaints System

AIR-20180501-180227	05/01/2018	
AIR-20180502-180241	05/02/2018	
AIR-20180430-180204	04/28/2018	
AIR-20180430-180221	04/30/2018	
AIR-20180829-181160	08/29/2018	
AIR-20180829-181162	08/29/2018	
AIR-20180810-180965	08/10/2018	
AIR-20181011-181455	10/11/2018	
AIR-20181011-181457	10/11/2018	
AIR-20180822-181084	08/21/2018	
AIR-20180919-181331	09/19/2018	
AIR-20180727-180795	07/27/2018	
AIR-20190103-181878	01/03/2019	
AIR-20180711-180697	07/11/2018	
AIR-20180816-181034	08/16/2018	
AIR-20180726-180786	07/26/2018	
AIR-20180726-180787	07/26/2018	
AIR-20180726-180789	07/26/2018	
AIR-20180523-180391	05/22/2018	
AIR-20180523-180395	05/22/2018	
AIR-20180816-181029	08/16/2018	

ACHD Complaints System

Service Request # AIR-20190110-181934

AIR QUALITY - ODOR

Date Incident Occurred: 01/09/2019

Time Incident Occurred: 03:47 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT CLAIRTON MILL
MESSAGE 1/9/19 AIR POLLUTED

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/09/2019

Compl.Time: 03:47 PM

Complainant: ***Website,Anonymous**

, PA

Email:

Phone(s):

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE 01-09-2019 @ 03:47 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	

ACHD Complaints System

AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190110-181935

AIR QUALITY - ODOR

Date Incident Occurred: 01/10/2019

Time Incident Occurred: 02:25 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SMELL FROM CLAIRTON

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	

ACHD Complaints System

AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	

ACHD Complaints System

AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	

ACHD Complaints System

AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190110-181936

AIR QUALITY - ODOR

Date Incident Occurred: 01/09/2019

Time Incident Occurred: 04:00 PM

Complaint Property :

Apt/Unit#:

City: , PA 15243

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : BURNING SMELL AROUND HER HOME

SHE LEAVES HER HOUSE FOR WORK ABOUT 7:30-8:30 IN THE MORNING AND DOES NOT SMELL IT BUT CAN SMELL WHEN SHE RETURNS AROUND 4:30 PM BUT HARDLY EVER ON THE WEEKENDS.

Complainant:

Email:

Phone(s):

Complaint Against: 15243 GENERAL AREA

, PA 15243

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180119-178913	01/18/2018	
AIR-20171031-177261	10/31/2017	
AIR-20180517-180352	05/16/2018	
AIR-20181105-181586	11/05/2018	
AIR-20190111-181940	01/11/2019	
AIR-20181102-181569	11/01/2018	
AIR-20180618-180541	06/16/2018	
AIR-20181128-181669	11/28/2018	

ACHD Complaints System

Service Request # AIR-20190110-181937

AIR QUALITY - ODOR

Date Incident Occurred: 01/10/2019

Time Incident Occurred: 01:41 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT CLAIRTON MILL
MESSAGE 4:30 AM ACROSS THE RIVER WAS THE MOST
TERRIBLE SILVER SMELL I'VE EXPERIENCED IN
19 YEARS OF LIVING HERE. WE ARE BEING
HELD CAPTIVE IN OUR OWN HOMES. DO
SOMETHING REAL...THEY WILL CONTINUE TO PAY
FINES AND POISON US. THANK YOU.

Complainant:

[REDACTED]

, PA

Email:

[REDACTED]

Phone(s):

Complaint Against: *US STEEL CLAIRTON COKE WORKS

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE 01-10-2019

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	

ACHD Complaints System

AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	

ACHD Complaints System

AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	

ACHD Complaints System

AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190110-181938

AIR QUALITY - ODOR

Date Incident Occurred: 01/10/2019

Time Incident Occurred: 03:45 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : THE SMELL FROM THE CLAIRTON STEEL MILL IS SO BAD HE HAD TO TARP HIS WHOLE HOUSE AND 8 OF HIS CHICKENS HAVE DIED IN THE PAST TWO WEEKS.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN M SAGEL

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	

ACHD Complaints System

AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	

ACHD Complaints System

AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190118-181987	01/17/2019	

ACHD Complaints System

AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190111-181939

AIR QUALITY - ODOR

Date Incident Occurred: 01/11/2019

Time Incident Occurred: 06:51 AM

Complaint Property : **301 39TH ST**

Apt/Unit#: **BUILDING 7**

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Nature of Complaint : SUBJECT AIR QUALITY AND AHD'S POOR RESPONSE MESSAGE MONROEVILLE INCLUDES ITSELF IN POOR QUALITY BREATHING, THANKS TO THE LACK OF OVERSIGHT BY OUR COUNTY'S HEALTH DEPT. HOW CAN JIM KELLY GET ON AIR AND TIE THIS POOR QUALITY TO NOT ENOUGH WIND TO BLOW IT AWAY? THE IDEA IS TO REDUCE EMISSIONS!

MEMBERS WHO HAVE MET AT MONROEVILLE'S PUBLIC LIBRARY (GROUP OF TEN) HAVE HAND-WRITTEN LETTERS TO EXECUTIVE MANAGER, RICH FITZGERALD REGARDING THE COKE WORKS AND POLLUTION CONTROL IN 2018. RESPONSE? NONE!

YOU ARE NOT DOING YOUR JOB AT THE COUNTY LEVEL!

Complainant:

[REDACTED]

, PA

Email:

[REDACTED]

Phone(s):

Complaint Against: ***ALLEGHENY COUNTY HEALTH DEPARTMENT**

301 39TH ST

LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115

Additional Comments: WEBSITE 01-11-2019 @ 06:51 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

ACHD Complaints System

AIR-20190114-181957	01/13/2019	

ACHD Complaints System

Service Request # AIR-20190111-181940

AIR QUALITY - ODOR

Date Incident Occurred: 01/10/2019

Time Incident Occurred: 04:50 PM

Complaint Property :

Apt/Unit#:

City: , PA 15243

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : BURNING TIRE SMELL AROUND HER HOUSE.

Complainant:

Email:

Phone(s):

Complaint Against: 15243 GENERAL AREA

, PA 15243

Phone(s):

Additional Comments: CALL INTO ACHD - KAREN SAGEL / DAN MORGAN

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20180119-178913	01/18/2018	
AIR-20171031-177261	10/31/2017	
AIR-20180517-180352	05/16/2018	
AIR-20181105-181586	11/05/2018	
AIR-20181102-181569	11/01/2018	
AIR-20180618-180541	06/16/2018	
AIR-20190110-181936	01/10/2019	
AIR-20181128-181669	11/28/2018	

ACHD Complaints System

Service Request # AIR-20190111-181941

AIR QUALITY - ODOR

Date Incident Occurred: 01/11/2019

Time Incident Occurred: 11:54 AM

Complaint Property :

Apt/Unit#:

City: , PA 15206

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : SUBJECT REPORTING OF SULFURIC AND NOXIOUS AIR QUALITY MESSAGE PITTSBURGH BAKERY SQUARE AND CHURCHILL PA DECEMBER 2018 - JANUARY 2019 ONGOING AND GETTING WORSE DAY BY DAY. PLEASE ADDRESS THIS HAZARD.

Complainant:

Email: , PA

Phone(s):

Complaint Against: 15206 GENERAL AREA

, PA 15206

Phone(s):

Additional Comments: WEBSITE 01-11-2019 @ 11:54 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20171025-177195	09/20/2017
AIR-20171221-178568	12/17/2017
AIR-20171212-178276	12/03/2017
AIR-20170928-176842	09/20/2017
AIR-20171106-177361	11/03/2017
AIR-20171206-178037	11/30/2017
AIR-20180227-179614	02/27/2018
AIR-20170922-176757	09/20/2017
AIR-20180504-180264	05/04/2018

ACHD Complaints System

AIR-20190117-181983	01/17/2019	

ACHD Complaints System

Service Request # AIR-20190111-181942

AIR QUALITY - OPEN BURNING

Date Incident Occurred: 01/11/2019

Time Incident Occurred: 12:39 PM

Complaint Property : **218 ATLANTIC AV**

Apt/Unit#:

City: **MCKEESPORT, PA 15132**

Municipality: **PITTSBURGH CITY**

Census Tract: **55522**

Ward: **55**

Nature of Complaint : **THEY ARE BURNING SULFUR TO MAKE PAINT. HAVE FIRES IN THE BUILDING THAT BLEW THE STACK OFF THE CHIMNEY**

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

CELL PHONE

Complaint Against: **PALKO LANDSCAPING**

218 ATLANTIC AV

MCKEESPORT, PA 15132

Phone(s):

Additional Comments: **CALL INTO ACHD - KAREN M SAGEL - JIM BOLLINGER**

Supervisor:

Created By: **Sagel, Karen**

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20181210-181702	12/10/2018

ACHD Complaints System

Service Request # AIR-20190114-181957

AIR POLLUTION - GENERAL

Date Incident Occurred: 01/13/2019

Time Incident Occurred: 06:58 PM

Complaint Property : **301 39TH ST**

Apt/Unit#: **BUILDING 7**

City: **LAWRENCEVILLE, PA 15201**

Municipality: **PITTSBURGH CITY**

Census Tract: **30603**

Ward: **06**

Nature of Complaint : SUBJECT POLLUTION PROBLEM
MESSAGE CLAIRTON PA 15133 I THINK... THERE IS A BAD ODOR. ITS REAL
BAD. I WAS DROPPING MY SON OFF ON CONSTITUTION. I DON'T THINK
YOU GUYS ARE DOING ENOUGH
ABOUT THIS PROBLEM. FINE THEM AGAIN. GUESS THEY GOT AWAY WITH
THE MILLION FINE THE FIRST TIME.

Complainant:

Email:

Phone(s):

Complaint Against: ***ALLEGHENY COUNTY HEALTH DEPARTMENT**

301 39TH ST

LAWRENCEVILLE, PA 15201

Phone(s): 412-5788115

Additional Comments: WEBSITE 01-13-2019 @ 06:58 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20190111-181939	01/11/2019

ACHD Complaints System

Service Request # AIR-20190114-181958

AIR QUALITY - ODOR

Date Incident Occurred: 01/13/2019

Time Incident Occurred: 07:08 PM

Complaint Property : **1 CAMP HOLLOW RD**

Apt/Unit#:

City: **DRAVOSBURG, PA 15034**

Municipality: **DRAVOSBURG BOROUGH**

Census Tract: **99999**

Ward:

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/13/2019

Compl.Time: 07:08 pm

Nature of Complaint : SUBJECT FLAME BURNING AT US STEEL IRVIN WORKS
MESSAGE THERE IS A HUGE FLAME BURNING AT OR AROUND IRVIN
WORKS FOR 3 WEEKS NOW. IT IS SO LOUD YOU CAN HEAR IT IN THE
HOUSE. I LIVE NEAR JEFFERSON HOSPITAL AND I CAN HEAR IT IN THE
HOUSE. IT LIGHTS UP THE NIGHT SKY. WHATEVER THEY ARE BURNING
HAS TO BE POLLUTING THE ARE MORE THAN ANY BURNING LEAF PILE.
WHAT ARE THEY BURNING AND WHY ARE THEY ALLOWED TO DO THIS?
DOES IT HAVE ANYTHING TO DO WITH WHAT'S HAPPENING AT CLAIRTON
MILL?

Complainant:

Email:

Phone(s):

Complaint Against: *US STEEL IRVIN WORKS

1 CAMP HOLLOW RD

DRAVOSBURG, PA 15034

Phone(s):

Additional Comments: WEBSITE 01-13-2019 @ 07:08 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
AIR-20120117-150564	01/17/2012
AIR-20171003-176888	10/03/2017
AIR-20170927-176825	09/27/2017
AIR-20171109-177486	09/24/2017

ACHD Complaints System

AIR-20171204-177982	12/04/2017	
AIR-20180416-180082	04/14/2018	
AIR-20181219-181785	12/19/2018	
AIR-20190104-181884	01/03/2019	

ACHD Complaints System

Service Request # AIR-20190114-181959

AIR QUALITY - ODOR

Date Incident Occurred: 01/13/2019

Time Incident Occurred: 07:30 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT AIR QUALITY
MESSAGE 7:30 PM 1-19-19 CLAIRTON, PA 15025 FOUL SMELLING AIR
COMING FROM MILL MAKING IT HARD FOR RESIDENTS TO BREATHE. ALL
CHILDREN WALK TO SCHOOL DAILY MOST WALK OVER A MILE AND WE
ARE ALL BECOMING ILL. (COUGH & SHORTNESS OF BREATH

Complainant: ***Website,Anonymous**

, PA

Email:

Phone(s):

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE 01-13-2019 @ 07:30 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	

ACHD Complaints System

AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	

ACHD Complaints System

AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	

ACHD Complaints System

AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190114-181960

AIR QUALITY - ODOR

Date Incident Occurred: 01/13/2019

Time Incident Occurred: 08:36 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : SUBJECT CLAIRTON COKE WORKS
MESSAGE 3:00 PM AND CONTINUING TO POLUTE. EXCESSIVE CHEMICAL
ODORS THROUGH CLAIRTON AND SURROUNDING COMMUNITIES
CAUSING BREATHING COMPLICATIONS. IS THERE ANY HELP TO BE
EXPECTED?
THANKS

Complainant:



, PA

Email:



Phone(s):

Complaint Against: ***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: WEBSITE 01-13-2019 @ 08:36 PM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Completed	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	

ACHD Complaints System

AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	

ACHD Complaints System

AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	

ACHD Complaints System

AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190115-181961

AIR QUALITY - ODOR

Date Incident Occurred: 01/14/2019

Time Incident Occurred: 02:16 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : THE FIRE AT THE MILL ON 24DEC18 CAUSED THE SULFUR DIOXIDE POLLUTANT LEVELS TO RISE ABOVE PUBLICLY SAFE LEVELS SIX TIMES BEFORE THE PUBLIC WAS MADE AWARE OF THE OUTDOOR HEALTH EMERGENCY. PER EHN .ORG, (HTTPS://WWW.EHN.ORG/CLAIRTON-COKE-WORKS-FIRE-WHAT-ARE-THE-HEALTH-EFFECTS-OF-SULFUR-DIOXIDE-EXPOSURE-2625761911. HTML) THE PUBLIC WAS UNKNOWINGLY EXPOSED TO EXTREMELY HIGH LEVELS OF SULFUR DIOXIDE IN OUR AIR FOR OVER TWO WEEKS. THIS IS ENTIRELY UNACCEPTABLE FOR A LOCATION THAT IS CONSTANTLY POISONED BY THAT MILL ALREADY AND SUFFERS FROM SOME OF THE HIGHEST CHILDHOOD ASTHMA AND ADULT CANCER RATES IN THE COUNTRY.

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against:

***US STEEL CLAIRTON COKE WORKS**

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: EMAIL FROM THE DEP 01-14-2019 @ 02:16 PM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	

ACHD Complaints System

AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	

ACHD Complaints System

AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	

ACHD Complaints System

AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181962	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190115-181962

AIR QUALITY - ODOR

Date Incident Occurred: 01/14/2019

Time Incident Occurred: 12:00 AM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : THIS PLANT IS A CHRONIC PROBLEM AND A DISGRACE TO THE REGION. PLEASE PURSUE ACTION AGAINST THEM TOWARDS THE ENDS OF HAVING THEM SHUT DOWN.

THE ASTHMA AND HEALTH RELATED PROBLEMS THIS REGION FACES AS WELL AS THE ACRID AIR ROLLING THROUGH SOUTH WESTERN PA ARE DETRIMENTAL TO THOSE OF US LIVING HERE AND WE NEED OUR GOVERNMENT TO ACT AGAINST IT. PLEASE.

Complainant:



, PA

Email:

Phone(s):

Complaint Against: *US STEEL CLAIRTON COKE WORKS

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: EMAIL FROM DEP 01-14-2019 @ 12:00 AM

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complaind	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	
AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	

ACHD Complaints System

AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	
AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	

ACHD Complaints System

AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	
AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	

ACHD Complaints System

AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181963	01/13/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190115-181963

AIR QUALITY - ODOR

Date Incident Occurred: 01/13/2019

Time Incident Occurred: 02:53 PM

Complaint Property : **400 STATE ST**

Apt/Unit#:

City: **PITTSBURGH, PA 15025**

Municipality: **CLAIRTON CITY**

Census Tract: **99999**

Ward:

Nature of Complaint : THE CLAIRTON COKE WORKS PLANT IS DESTROYING OUR AIR QUALITY YET AGAIN. THIS IS COMPLETELY UNACCEPTABLE, THEY SHOULD NOT BE ALLOWED TO CONTINUE OPERATION. PLEASE SHUT THEM DOWN, THE HEALTH IMPLICATIONS FOR EVERYONE LIVING AROUND HERE (I LIVE IN PITTSBURGH) ARE HORRENDOUS. OUR ASTHMA RATES ARE MUCH HIGHER THAN THE NATIONAL AVERAGE, AMONG MANY OTHER HEALTH PROBLEMS.

PLEASE PRIORITIZE PEOPLE'S HEALTH OVER THE PROFITS OF ONE CORPORATION.

Complainant:



, PA

Email:

Phone(s):

Complaint Against: *US STEEL CLAIRTON COKE WORKS

400 STATE ST

PITTSBURGH, PA 15025

Phone(s):

Additional Comments: DEP - EMAIL 01-13-2019

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171108-177424	11/08/2017	
AIR-20170605-175202	06/05/2017	
AIR-20171003-176887	10/03/2017	

ACHD Complaints System

AIR-20171019-177041	10/19/2017	
AIR-20171113-177529	09/25/2017	
AIR-20171122-177782	11/21/2017	
AIR-20171220-178496	12/19/2017	
AIR-20171205-178014	11/30/2017	
AIR-20171122-177789	11/21/2017	
AIR-20171108-177426	09/22/2017	
AIR-20171220-178543	12/17/2017	
AIR-20171115-177638	09/26/2017	
AIR-20171218-178396	12/17/2017	
AIR-20171226-178624	12/21/2017	
AIR-20171115-177643	11/15/2017	
AIR-20171208-178177	12/03/2017	
AIR-20171226-178635	12/22/2017	
AIR-20171204-177985	12/03/2017	
AIR-20171207-178090	11/20/2017	
AIR-20180111-178854	01/11/2018	
AIR-20171025-177184	09/18/2017	
AIR-20171115-177627	09/26/2017	
AIR-20171208-178190	12/03/2017	
AIR-20170926-176800	09/20/2017	
AIR-20170927-176822	09/27/2017	
AIR-20170927-176824	09/27/2017	
AIR-20171102-177307	11/02/2017	
AIR-20171025-177207	09/20/2017	
AIR-20171212-178262	12/03/2017	
AIR-20180129-178941	01/26/2018	
AIR-20171208-178152	12/07/2017	
AIR-20180206-179051	02/06/2018	
AIR-20171212-178270	12/03/2017	
AIR-20180206-179091	11/07/2017	
AIR-20180212-179179	02/12/2018	
AIR-20180212-179182	02/10/2018	
AIR-20171127-177816	11/24/2017	
AIR-20180111-178869	01/10/2018	
AIR-20171127-177830	11/24/2017	
AIR-20171003-176886	10/03/2017	
AIR-20171127-177835	11/24/2017	
AIR-20171127-177843	11/23/2017	
AIR-20170928-176850	09/28/2017	
AIR-20180110-178838	01/09/2018	
AIR-20180110-178842	01/10/2018	
AIR-20171128-177870	11/28/2017	
AIR-20180221-179497	02/20/2018	
AIR-20171213-178328	12/04/2017	
AIR-20171130-177905	11/29/2017	

ACHD Complaints System

AIR-20171130-177930	11/30/2017	
AIR-20180220-179452	02/19/2018	
AIR-20171204-177981	12/04/2017	
AIR-20171120-177724	11/18/2017	
AIR-20171120-177725	11/17/2017	
AIR-20170918-176610	09/13/2017	
AIR-20171128-177844	11/27/2017	
AIR-20171204-177992	12/03/2017	
AIR-20171204-177993	12/02/2017	
AIR-20171204-177996	12/03/2017	
AIR-20180110-178847	01/10/2018	
AIR-20180228-179634	02/28/2018	
AIR-20171206-178066	12/02/2017	
AIR-20171206-178086	12/02/2017	
AIR-20171117-177689	09/28/2017	
AIR-20170926-176791	09/26/2017	
AIR-20171030-177242	10/30/2017	
AIR-20171023-177084	10/21/2017	
AIR-20171023-177085	10/22/2017	
AIR-20170922-176733	09/15/2017	
AIR-20171004-176899	10/04/2017	
AIR-20170922-176769	09/20/2017	
AIR-20180509-180300	05/09/2018	
AIR-20180319-179919	03/19/2018	
AIR-20180501-180226	05/01/2018	
AIR-20180502-180239	05/02/2018	
AIR-20180430-180202	04/30/2018	
AIR-20180430-180205	04/28/2018	
AIR-20180430-180219	04/28/2018	
AIR-20180427-180183	04/27/2018	
AIR-20181219-181777	12/19/2018	
AIR-20181219-181778	12/19/2018	
AIR-20181219-181779	12/19/2018	
AIR-20181219-181783	12/19/2018	
AIR-20190117-181974	01/17/2019	
AIR-20190117-181976	01/17/2019	
AIR-20190117-181977	01/16/2019	
AIR-20190117-181978	01/16/2019	
AIR-20190117-181979	01/16/2019	
AIR-20190117-181982	01/17/2019	
AIR-20180524-180396	05/24/2018	
AIR-20181105-181583	11/04/2018	
AIR-20180525-180403	05/25/2018	
AIR-20190114-181959	01/13/2019	
AIR-20190114-181960	01/13/2019	
AIR-20180813-180983	08/10/2018	

ACHD Complaints System

AIR-20181213-181723	12/13/2018	
AIR-20180801-180834	07/31/2018	
AIR-20190107-181898	01/04/2019	
AIR-20180806-180867	08/04/2018	
AIR-20180806-180868	08/03/2018	
AIR-20180928-181379	09/27/2018	
AIR-20190110-181937	01/10/2019	
AIR-20190110-181938	01/10/2019	
AIR-20190118-181987	01/17/2019	
AIR-20190118-181991	01/18/2019	
AIR-20190118-181992	01/18/2019	
AIR-20181227-181822	12/26/2018	
AIR-20180629-180600	06/29/2018	
AIR-20180925-181369	09/24/2018	
AIR-20190115-181966	01/15/2019	
AIR-20190110-181918	01/09/2019	
AIR-20190110-181920	01/10/2019	
AIR-20190110-181922	01/10/2019	
AIR-20190110-181923	01/09/2018	
AIR-20190110-181924	01/09/2019	
AIR-20190110-181925	01/10/2019	
AIR-20190110-181927	01/09/2019	
AIR-20190116-181971	01/16/2019	
AIR-20181009-181444	10/09/2018	
AIR-20181001-181400	10/01/2018	
AIR-20181029-181559	10/26/2018	
AIR-20180521-180381	05/18/2018	
AIR-20190115-181961	01/14/2019	
AIR-20190115-181962	01/14/2019	
AIR-20180618-180544	06/16/2018	
AIR-20190117-181972	01/16/2019	
AIR-20180827-181127	08/24/2018	
AIR-20190110-181934	01/09/2019	
AIR-20190110-181935	01/10/2019	
AIR-20181009-181441	10/08/2018	

ACHD Complaints System

Service Request # AIR-20190115-181964

AIR QUALITY - ODOR

Date Incident Occurred: 01/13/2019

Time Incident Occurred: 04:12 PM

Complaint Property :

Apt/Unit#:

City: , PA 15025

Municipality:

Census Tract: 99999

Ward:

Nature of Complaint : ON OCCASION I HAVE SEEN THESE TRUCKS ON THE ROAD WITH WHAT LOOKS LIKE QUENCHED COKE IN THE BED. THEY ARE TRAVELING TOWARDS HOMESTEAD ON RT 837. IN THE PICTURE YOU CAN SEE THE BUILDING WITH LEVIN BROTHERS PAINTED ON THE SIDE OF IT NEAR MCCLURE STREET FOR LOCATION. IT SMELLS AWFUL LIKE BURNT SULFUR; IT WAS BAD ENOUGH THAT I HAD TO TURN OFF MY AIR IN MY CAR. THESE PICTURES ARE FROM DECEMBER 2017 BUT I HAVE SEEN THEM AS RECENT AS DECEMBER 16TH 2018. I HAD A CHANCE TO GET THE LICENSE PLATE OF THE TRUCK FROM DECEMBER 2017 BUT NOT FROM DECEMBER 2018. I HAVE ATTACHED THE PICTURES IN THE EMAIL. <PICTURES IN FILE>

Complainant: *Website,Anonymous

, PA

Email:

Phone(s):

Complaint Against: 15025 GENERAL AREA

, PA 15025

Phone(s):

Additional Comments: EMAIL FROM THE DEP 01-15-2018 @ 11:06 AM

Supervisor:

Created By: Sagel,Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained	
AIR-20171017-176982	09/15/2017	
AIR-20171115-177619	09/26/2017	
AIR-20171109-177473	09/23/2017	

ACHD Complaints System

AIR-20170922-176747	09/15/2017	
AIR-20180423-180143	04/23/2018	
AIR-20180810-180967	08/09/2018	
AIR-20190110-181932	01/09/2019	

ACHD Complaints System

Service Request # AIR-20190116-181970

AIR POLLUTION - GENERAL

Date Incident Occurred: 01/04/2019

Time Incident Occurred: 03:56 AM

Complaint Property : **202 BUCKEYE ST**

Apt/Unit#:

City: **CANONSBURGH, 15317**

Municipality: **NOT APPLICABLE**

Census Tract: **99999**

Ward:

Nature of Complaint : DUST FROM LANDSCAPING COMPANY FILTERS INTO HOUSE

Complainant:

[REDACTED]
[REDACTED]
[REDACTED]

Email:

Phone(s):

[REDACTED]

Complaint Against: **FEDEROUCH LANDSCAPE SUPPLY**

202 BUCKEYE ST

CANONSBURGH, 15317

Phone(s): 724-9416965

Additional Comments: CALL INTO ACHD - JAMES BOLLINGER

Supervisor:

Created By: Sagel, Karen

Actions:

Previous Complaints on Complaint Property:

SR Num	Date Complained
--------	-----------------

Compl Status : OPEN

Emergency : NOT AN EMERGENCY

Feedback : N

Comp Date: 01/04/2019

Compl.Time: 03:56 PM